A

Abe R, 989
Aberer W, 475
Abken H, 102
Abraham DJ, 417
Achterberg V, 833
Adachi S, 506
Adzick NS, 131
Ahola H, 610
Ahrens T, 93
Airola K, 85
Akiyama M, 991, 993
Albersheim P, 62
Alessandrini F, 394
Alhonen L, 801
Allan C, 77
Al-Qamari A, 69
Altmeyer P, 629
Amagai M, 489
Ananthaswamy HN, 366
Anderson K, 821
Anderson RR, 846
Anderson R, 602
Andrecht S, 816
Angel P, 816
Antonsson P, 596
Aoki N, 359
Arnold N, 472
Asada H, 506
Asadullah K, 721, 975
Ashida Y, 261
Assmann V, 93
Audring H, 721
Aurelian L, 286
Auricchio L, 809
Azuma M, 764

B

Bagot M, 731
Bahk YY, 374
Bahmer FA, 313
Bamberg MP, 380
Barnard A, 281
Baron JM, 541
Bataille VA, 246
Bauer JW, 474
Bauer J, 313
Bausinger H, 401
Bawden CS, 157
Bayoumy NM, 806
Beazley WD, 167
Becker B, 983
Becker OM, 511
Behmel A, 475
Behrendt H, 394
Behrens-Williams SC, 167
Bei HB, 305
Bensussan A, 731
Berge RK, 702
Bernard D, 23, 905
Beyaert R, 124
Bickers DR, 821
Binderup L, 785
Birch-Machin MA, 564
Bisceglia M, 463
Black CM, 417
Blaschke V, 319
Blau N, 167
Blumenberg M, 330, 633
Boehncke W-H, 596
Bolund L, 702
Bona C, 136
Bonifas JM, 739
Bonish BK, 305
Borgers M, 124
Borghmans I, 124
Born WK, 880
Botchkarev VA, 236
Botchkareva NV, 236
Bou-Gharios G, 417
Boumsell L, 731
Bowden PE, 964
Box NF, 224
Boyce ST, 650
Brancaleon L, 380, 840
Braungart E, 778
Bravo A, 664
Bremer EG, 69
Brenneisen P, 833
Brisbay S, 366
Bruch-Gerharz D, 196
Bruining HA, 434
Bu D, 482
Bull JJ, 617
Burd RM, 281
Burg G, 874
Burnett JW, 286
Bury Y, 785
Byrom M, 209
Byun SJ, 374

C

Cady C, 880
Cam GR, 940
Camus C, 23
Capon F, 728
Carcassi C, 728
Carlberg C, 785
Carlén L, 750
Caroli CC, 891
Carter EA, 434
Caspary WF, 275
Caspers PJ, 434
Castiglia D, 182
Cavanagh LL, 266
Cazenave J-P, 401
Cerio R, 246
Chan YR, 230
Chaturvedi V, 305
Chen A, 50
Chen FF, 614
Chen TC, 910
Chen W, 224
Chia NVC, 823
Chiarello S, 209
Chibout S-D, 471
Chimenti S, 728
Cho KH, 915
Cho S-H, 658
Cho SH, 366
Choi HR, 915
Choi MH, 57
Chrest FJ, 286
Christiano AM, 821
Christophers E, 823
Chronnell CMT, 617
Chuang P-T, 739
Chung BC, 57
Chung JH, 915
Coleman CM, 806
Colige AC, 853
Cooke MS, 281
Corcuff P, 23
Cordingley H, 144
Cox DA, 471
Craven NM, 672
Creidi P, 853
Cremer A, 686
Crowson AN, 175
Cruikshank WW, 641
Crumrine D, 443
Cuevas-Covarrubias SA, 456
Cunliffe WJ, 564
Curfs JH, 693

D

D'alessio M, 182
Dagorn J-C, 426
Dahler A, 266
Daidone MG, 867
Dale BA, 970
Dale M, 564
Dallinger G, 474
Dallpiccola B, 728
Dano K, 353
Darvill A, 62
Das Pranab K, 409
Dashwood MR, 417
David A, 806
Davidson BL, 602
Dawe RS, 813
De Jongh G, 12
De La Salle H, 401
Debs RJ, 131
Degitz K, 778
Degraef C, 679
Delehedde M, 366
Della Porta C, 867
Demitsu T, 743
Denda M, 261
Denton CP, 417
Desauvage FJ, 739
Dexling B, 979
Dezutter-Dambuyant C, 933
Diaz LA, 489
Didona B, 182
Dissemond J, 833
Dixon C, 564
Döcke W-D, 721
Dohlsten M, 596
Dopping-Hepenstal P, 606
Dove-Edwin I, 246
Drummer C, 409
Duffy DL, 224
Dulkys Y, 498, 549
Dummer R, 167, 874

E

Eady RA, 606
Ebeling M, 721
Eberhard S, 62
Eble JA, 686
Eckl K-M, 825
Edmondson SR, 491
Egan CA, 348
Eisen M, 886
Eisinger M, 587
Elder JT, 823
Elias PM, 443
Ellis JA, 452
Elsner J, 498, 549
Enerbäck C, 750
Enomoto S, 764
Epstein Jr EH, 739
Eskdale J, 975
Esposito G, 809
Eun HC, 915
Evans MD, 281

F

Fabrizi G, 728
Fahr C, 254
Farr PM, 813
Fartasch M, 313
Fassler D, 531
Fatovic-Ferencic S, 198
Fazio M, 728
Fehringer AP, 658
Feingold KR, 443
Feldmann-Böddeker I, 387
Felici A, 623
Fiat F, 23
Fieber C, 93
Fine J-D, 483
Fitzhugh DJ, 466
Flanagan JN, 910
Fleischmajer R, 713
Fluck J, 686
Foitzik A, 833
Folini M, 867
Frank J, 821
Frankenburg S, 541
Franssila K, 188
Fraser-Andrews E, 484
Frati L, 623
Freedberg IM, 330, 633
Friedl W, 463
Friedrich M, 721, 975
Fritsch M, 793
Fritsch P, 150, 641
Frossard PM, 825
Fujita N, 743
Fürhapter C, 150
Fürstenberger G, 31
Furukawa Y, 743
Fusenig NE, 85, 816

G

Galand P, 679
Gallagher G, 975

0022-202X/00/$15.00 • Copyright © 2001 by The Society for Investigative Dermatology, Inc.

A

Abe R, 989
Aberer W, 475
Abken H, 102
Abraham DJ, 417
Achterberg V, 833
Adachi S, 506
Adzick NS, 131
Ahola H, 610
Ahrens T, 93
Airola K, 85
Akiyama M, 991, 993
Albersheim P, 62
Alessandrini F, 394
Alhonen L, 801
Allan C, 77
Al-Qamari A, 69
Altmeyer P, 629
Amagai M, 489
Ananthaswamy HN, 366
Anderson K, 821
Anderson RR, 846
Anderson R, 602
Andrecht S, 816
Angel P, 816
Antonsson P, 596
Aoki N, 359
Arnold N, 472
Asada H, 506
Asadullah K, 721, 975
Ashida Y, 261
Assmann V, 93
Audring H, 721
Aurelian L, 286
Auricchio L, 809
Azuma M, 764

B

Bagot M, 731
Bahk YY, 374
Bahmer FA, 313
Bamberg MP, 380
Barnard A, 281
Baron JM, 541
Bataille VA, 246
Bauer JW, 474
Bauer J, 313
Bausinger H, 401
Bawden CS, 157
Bayoumy NM, 806
Beazley WD, 167
Becker B, 983
Becker OM, 511
Behmel A, 475
Behrendt H, 394
Behrens-Williams SC, 167
Bei HB, 305
Bensussan A, 731
Berge RK, 702
Bernard D, 23, 905
Beyaert R, 124
Bickers DR, 821
Binderup L, 785
Birch-Machin MA, 564
Bisceglia M, 463
Black CM, 417
Blaschke V, 319
Blau N, 167
Blumenberg M, 330, 633
Boehncke W-H, 596
Bolund L, 702
Bona C, 136
Bonifas JM, 739
Bonish BK, 305
Borgers M, 124
Borghmans I, 124
Born WK, 880
Botchkarev VA, 236
Botchkareva NV, 236
Bou-Gharios G, 417
Boumsell L, 731
Bowden PE, 964
Box NF, 224
Boyce ST, 650
Brancaleon L, 380, 840
Braungart E, 778
Bravo A, 664
Bremer EG, 69
Brenneisen P, 833
Brisbay S, 366
Bruch-Gerharz D, 196
Bruining HA, 434
Bu D, 482
Bull JJ, 617
Burd RM, 281
Burg G, 874
Burnett JW, 286
Bury Y, 785
Byrom M, 209
Byun SJ, 374

C

Cady C, 880
Cam GR, 940
Camus C, 23
Capon F, 728
Carcassi C, 728
Carlberg C, 785
Carlén L, 750
Caroli CC, 891
Carter EA, 434
Caspary WF, 275
Caspers PJ, 434
Castiglia D, 182
Cavanagh LL, 266
Cazenave J-P, 401
Cerio R, 246
Chan YR, 230
Chaturvedi V, 305
Chen A, 50
Chen FF, 614
Chen TC, 910
Chen W, 224
Chia NVC, 823
Chiarello S, 209
Chibout S-D, 471
Chimenti S, 728
Cho KH, 915
Cho S-H, 658
Cho SH, 366
Choi HR, 915
Choi MH, 57
Chrest FJ, 286
Christiano AM, 821
Christophers E, 823
Chronnell CMT, 617
Chuang P-T, 739
Chung BC, 57
Chung JH, 915
Coleman CM, 806
Colige AC, 853
Cooke MS, 281
Corcuff P, 23
Cordingley H, 144
Cox DA, 471
Craven NM, 672
Creidi P, 853
Cremer A, 686
Crowson AN, 175
Cruikshank WW, 641
Crumrine D, 443
Cuevas-Covarrubias SA, 456
Cunliffe WJ, 564
Curfs JH, 693

D

D'alessio M, 182
Dagorn J-C, 426
Dahler A, 266
Daidone MG, 867
Dale BA, 970
Dale M, 564
Dallinger G, 474
Dallpiccola B, 728
Dano K, 353
Darvill A, 62
Das Pranab K, 409
Dashwood MR, 417
David A, 806
Davidson BL, 602
Dawe RS, 813
De Jongh G, 12
De La Salle H, 401
Debs RJ, 131
Degitz K, 778
Degraef C, 679
Delehedde M, 366
Della Porta C, 867
Demitsu T, 743
Denda M, 261
Denton CP, 417
Desauvage FJ, 739
Dexling B, 979
Dezutter-Dambuyant C, 933
Diaz LA, 489
Didona B, 182
Dissemond J, 833
Dixon C, 564
Döcke W-D, 721
Dohlsten M, 596
Dopping-Hepenstal P, 606
Dove-Edwin I, 246
Drummer C, 409
Duffy DL, 224
Dulkys Y, 498, 549
Dummer R, 167, 874

E

Eady RA, 606
Ebeling M, 721
Eberhard S, 62
Eble JA, 686
Eckl K-M, 825
Edmondson SR, 491
Egan CA, 348
Eisen M, 886
Eisinger M, 587
Elder JT, 823
Elias PM, 443
Ellis JA, 452
Elsner J, 498, 549
Enerbäck C, 750
Enomoto S, 764
Epstein Jr EH, 739
Eskdale J, 975
Esposito G, 809
Eun HC, 915
Evans MD, 281

F

Fabrizi G, 728
Fahr C, 254
Farr PM, 813
Fartasch M, 313
Fassler D, 531
Fatovic-Ferencic S, 198
Fazio M, 728
Fehringer AP, 658
Feingold KR, 443
Feldmann-Böddeker I, 387
Felici A, 623
Fiat F, 23
Fieber C, 93
Fine J-D, 483
Fitzhugh DJ, 466
Flanagan JN, 910
Fleischmajer R, 713
Fluck J, 686
Foitzik A, 833
Folini M, 867
Frank J, 821
Frankenburg S, 541
Franssila K, 188
Fraser-Andrews E, 484
Frati L, 623
Freedberg IM, 330, 633
Friedl W, 463
Friedrich M, 721, 975
Fritsch M, 793
Fritsch P, 150, 641
Frossard PM, 825
Fujita N, 743
Fürhapter C, 150
Fürstenberger G, 31
Furukawa Y, 743
Fusenig NE, 85, 816

G

Galand P, 679
Gallagher G, 975

0022-202X/00/$15.00 • Copyright © 2001 by The Society for Investigative Dermatology, Inc.

Gallo RL, 230
Garbe C, 319, 891
Garg A, 443
Gasparro FP, 860
Gasser A, 150
Gaudillère A, 933
Gazzaniga S, 664
Gefeller O, 478
Geier J, 478
Gelb MH, 31
Gelfand EW, 658
Gennaro R, 230
George D, 69
Gerharz C-D, 196
Gerzer R, 409
Geysen J, 124
Ghadially R, 443
Ghali L, 246
Gibbs D, 964
Gillies R, 840
Goerz G, 821
Goldszmid SR, 664
González S, 846
Goossens A, 479
Gordon R, 136
Goud B, 401
Gowrishankar TR, 40
Gozu Y, 520
Green AC, 224
Greenhalgh DG, 650
Grehan S, 77
Grenet O, 471
Griffiths CEM, 672
Griffiths LR, 224
Grob J-J, 426
Gröger M, 110
Gruen AB, 774
Guironnet G, 933
Gutzmer R, 926
Gyotoku T, 286

H

Hachiya A, 578
Häffner A, 874
Haftek M, 853
Hagen E, 947
Halama T, 110
Hamm R, 366
Hanau D, 401
Hanneken S, 721
Hansen CM, 785
Hardt-Weinelt K, 596
Harrap SB, 452
Harrison MR, 131
Hart IR, 898
Hartmann K, 387
Harwood CA, 246
Hasegawa A, 769
Hashimoto I, 339
Hashimoto T, 348, 556
Hatsell SJ, 606
Hatta N, 564
Hattmannstorfer R, 150
Hauschild A, 472
Hautala T, 602
Haze S, 520
Heath TD, 131
Heenen M, 679
Hemminki K, 194
Hengge UR, 979
Henkler F, 144
Hennemann A, 275
Hennies HC, 825
Henningsen J, 702
Henriksen M, 536
Henseler T, 823
Henz BM, 387
Hermans P, 679
Hermes B, 387
Herndon TO, 40
Herrlich P, 93
Herron GS, 525
Heuser C, 102
Hintner H, 474
Hirao T, 261
Hirota S, 506
Hoffmann K, 629
Hoffmann M, 93
Holick MF, 910
Holick MT, 910
Höller D, 541
Holm SJ, 750
Holmes AM, 417
Holnthoner W, 110
Holtmeier W, 275
Holubar K, 198
Hosseiny-Malayeri HR, 463
Howlett M, 175
Hu J, 478
Humbert P, 853
Hung BS, 940
Hutchinson PE, 281
Huzaira M, 846
Hwang H-Y, 374
Hwang ST, 466

I

Ibbotson SH, 813
Igarashi M, 623
Ilic L, 40
Imokawa G, 571, 578
Inerot A, 750
Iovanna J-L, 426
Irving RE, 224
Ishida-Yamamoto A, 511
Ishiko A, 991, 993
Ito K, 359
Ito M, 359, 956
Ivanova K, 409
Iversen L, 702

J

Jackson M, 175
Janke K, 641
Jänne J, 801
Jansen BJH, 12, 693
Jansen JJM, 693
Janssens S, 124
Jenisch S, 823
Jensen PJ, 860
Jensen UB, 702
Jimenez VAL, 456
Johansen C, 702
Jones CJP, 672
Jost M, 860
Jugert FK, 541, 821

K

Kadono S, 571
Kaiser HW, 216
Kakizoe E, 118
Kakurai M, 743
Kalka K, 821
Kanda N, 3
Kang S, 672
Kano R, 769
Kanzaki T, 556
Kao JS, 443
Kapp A, 498, 549, 926
Kapsokefalou A, 102
Karashima T, 556
Karenko L, 188
Kaser A, 641
Kashani-Sabet M, 131
Kaszkin M, 31
Kaufmann R, 275, 596
Kauppinen R, 610
Kaur S, 886
Kawaguchi Y, 920
Kawashima M, 571
Keihl P, 926
Kelsell DP, 606
Kiechle M, 472
Kiehl P, 549
Kielty CM, 672
Kim K-E, 374
Kim KH, 915
Kim T-Y, 374
Kimmig D, 498
King I, 144
Kissmeyer A-M, 785
Kitamura Y, 506
Kizawa K, 956
Klausegger A, 474
Klockenbring T, 409
Klosner G, 459
Kluthe C, 549
Knauer S, 131
Knauss-Scherwitz E, 891
Knobler R, 459
Knöβ S, 498
Kobayashi A, 578
Kobayashi T, 571
Kobayashi Y, 118
Koch F, 641
Kofman-Alfaro SH, 456
Kohno Y, 520
Kolbus A, 816
Kollias N, 380, 840
Komel R, 964
Komine M, 330, 633
Kong X-F, 910
Kragballe K, 702
Kratchmarova I, 702
Krieg T, 686
Kripke M, 366
Kristiansen K, 702
Krüger-Krasagakis S, 387
Kruse R, 463
Kulka M, 286
Kullisaar T, 886
Kumpumäki S, 602
Kuroda K, 713

L

Laforgia S, 339
Lahn M, 880
Laitinen E, 610
Lambeau G, 31
Lambert CA, 853
Landthaler M, 983
Lane EB, 964
Lang KS, 891
Lapiere CM, 853
Larcher C, 150
Lebwohl M, 713
Lechleitner S, 110
Lee J-W, 374
Lee SH, 915
Leibel F, 587
Leigh IM, 606
Lenz W, 409
Lepoittevin J-P, 479
Lestringant GG, 825
Leung DYM, 658
Leupold D, 629
Lewis MP, 898
Li G, 482
Liebold K, 531
Liggitt D, 131
Lim HW, 823
Lindner G, 947
Liovic M, 964
Lippert U, 319
Lipsker D, 401
Liu Y, 131
Livingston RJ, 970
Lowery MG, 209
Lübbe J, 480
Lucania G, 623
Lucassen GW, 434
Lunardi-Iskandar Y, 679
Lund LR, 353
Lunec J, 281

M

Maas-Szabowski N, 816
Magdolen V, 778
Magerl M, 947
Magin TM, 216
Malcharzyk V, 409
Manaka I, 571
Mangold E, 463
Mansfield JR, 175
Mantsch HH, 175
Mao-Qiang M, 443
Marchese C, 623
Marcusson JA, 194
Maréchal S, 933
Marekov L, 511
Marie-Cardine A, 731
Marinkovich MP, 348
Marles LK, 167
Marshall JF, 898
Martinelli J, 664
Maschi F, 664
Mathers K, 144
Matsuo I, 993
Maurer C, 319
Mauviel A, 755
Mayr-Kanhäuser S, 475
Mazzanti C, 182
Mcdonnell TJ, 366
Mcgaha T, 136
Mcgregor JM, 246
Mcintosh LM, 175
Mckay IA, 617, 947
Mckenzie RC, 476
Mclaughlan C, 157
Mclean WHI, 806
Mcmahon AP, 739
Medina J, 471
Meewes C, 833
Megahed M, 196
Meggit S, 564
Méhul B, 905
Meis JFGM, 693
Meneguzzi G, 182
Merk HF, 541, 821
Meuillet E, 69
Meuli M, 131
Meuli-Simmen C, 131
Meyer LJ, 348
Meyer-Ingold W, 833
Michel S, 525
Middel P, 319

Milisavljevic V, 330
Miller CJ, 511
Milstone LM, 774
Mingarelli R, 728
Minondo A-M, 23
Mirmohammadsadegh A, 979
Mitchell DL, 209
Mizue Y, 989
Mommaas AM, 401
Mommert S, 926
Moore J, 167
Mordoh J, 664
Mori N, 920
Moris A, 891
Morton KA, 774
Mosselmans R, 679
Mrowietz U, 203
Muhm A, 891
Müller-Röver S, 617, 947
Munro C, 606
Murata S, 743
Murgia S, 728
Mustajoki P, 610
Mustoe TA, 50
Myllylä R, 602

N

Na R, 536
Nagata Y, 556
Nair RP, 823
Nakagawa H, 743
Nakamura H, 506, 989
Nakamura S, 520
Nakamura Y, 769
Nakano A, 339
Nakano H, 339
Nakayama A, 920
Neis M, 541
Neldner K, 511
Nelson J, 806
Nesci A, 157
Neuhuber W, 313
Neumann C, 319
Neuner P, 459
Nevala H, 188
Nickoloff BJ, 305
Nie Z, 348
Nikolova M, 731
Niland S, 686
Nilsson H, 596
Nilsson S, 750
Nishihira J, 989
Nishikawa T, 489, 991
Noben-Trauth N, 136
Noel J-C, 679
Nomura K, 339
Novelli G, 728
Nuriya S, 764
Nusgens BV, 853

O

O'Brien KP, 750
O'Brien RL, 880
Obexer P, 150
Ochsendorf F-R, 596
Ohkawara A, 989
Ohta H, 520
Ohuchi A, 578
Okunishi H, 118
Ono S, 478
Ono Y, 339
Orfanos CE, 793
Osborne C, 471
Owaribe K, 182
Ozaki K, 506

P

Paine C, 587
Paller AS, 69
Paparo F, 809
Parent D, 679
Park KC, 915
Parkkinen JJ, 801
Parsons PG, 224
Pas H, 182
Patel K, 281
Patel SV, 246, 617
Paul WE, 136
Pauly M, 62
Paus R, 236, 947
Peacocke M, 614
Pearson JD, 417
Péguet-Navarro J, 933
Pennypacker S, 739
Petering H, 549
Peters B, 216
Peters EMJ, 167, 236
Petersen MJ, 348
Petzelbauer P, 110
Pfänder M, 275
Pfeilschifter J, 31
Pfendner E, 483
Phelps RG, 136
Phillips SR, 564
Philpott MP, 617
Picardo M, 623
Pietilä M, 801
Pillinger M, 110
Ping XL, 614
Poh-Fitzpatrick MB, 821
Pohla-Gubo G, 474
Ponath PD, 549
Poomsawat S, 898
Posteraro P, 182
Pournaras CC, 480
Prager E, 110
Presland RB, 970
Proamer F, 401
Propping P, 463
Pulkkinen L, 339, 474
Puppels GJ, 434
Puttinger R, 474
Pyke C, 353

Q

Qin J-Z, 305
Quinn AG, 246

R

Raatikainen M, 188
Rahman Z, 69
Rajadhyaksha M, 846
Ralkiaer E, 353
Rammensee H-G, 891
Ranki A, 188
Rao LS, 330
Rappl G, 102, 344
Ratner D, 614
Ratzinger G, 641
Rauma T, 602
Ray AJ, 564
Reardon CL, 880
Reddy D, 348
Rees JL, 564
Rehema A, 886
Reich K, 319
Reifenberger G, 472
Reifenberger J, 472
Reinhold U, 102, 344
Reis A, 825
Reitz A, 833
Rescigno G, 809
Rhie G, 915
Richard A, 853
Richard G, 511
Rinaldi M, 809
Ring J, 394
Rius F, 846
Rodeck U, 860
Rogers G, 157
Rogers MA, 359
Rohrbach C, 721
Romani N, 641
Romer J, 353
Rosenmüller T, 750
Rosenthal A, 739
Rossert J, 755
RöBler M, 102
Rothnagel JA, 940
Rougier A, 853
Ruf D, 785
Ruotsalainen H, 602
Russell Jones R, 484
Russell A, 224
Rütten A, 463
Ruzicka T, 196, 463
Ruzzi L, 182
Ryoo ZY, 374

S

Sabatier F, 426
Sabiwalsky A, 833
Saito S, 136
Sakamaki T, 380
Salamero J, 401
Salmhofer W, 556
Salvatore F, 809
Sapadin A, 713
Sato H, 769
Sauder DN, 350
Saunders NA, 266
Saurat J-H, 480
Sawada S, 359
Sawano K, 520
Schadow A, 31
Schalkwijk J, 12, 693
Schallreuter KU, 167
Scharffetter-Kochanek K, 833
Schauer R, 254
Schiffer R, 541
Schittek B, 891
Schmid P, 471
Schmidt LA, 348
Schmidt R, 23, 905
Schmidt WD, 531
Schmitt D, 933
Schnuch A, 478
Schöller T, 641
Scholz-Pedretti K, 31
Schorpp-Kistner M, 816
Schramm G, 498
Schroder HD, 702
Schuler G, 313
Schweizer J, 359
Scott G, 296
Seiberg M, 587
Seiter S, 344
Semprini S, 728
Seo Jin Y, 915
Seo Seong J, 880
Sepp N, 150
Serre G, 23
Shapiro S, 587
Sharlow E, 587
Shimizu H, 989, 991, 993
Shimizu Y, 991
Shimomura Y, 359
Shimoura K, 118
Shinizu T, 989
Shiota N, 118
Shi-Wen X, 417
Shoji T, 713
Sies H, 196
Silvers DN, 614
Simon JC, 93
Simon M, 23, 330
Simonart T, 679
Smith C, 286
Smith FJD, 806
Smith LT, 970
Sollberg S, 686
Sook YY, 57
Sotiropoulou G, 693
Speight PM, 898
Sprecher E, 511
Stachowitz S, 394
Staffler G, 110
Stahl W, 196
Stahle-Bäckdahl M, 750
Stanley JR, 489
Stark H-J, 816
Stassar M, 344
Stebbing M, 452
Steinert PM, 511
Stender I-M, 536
Stephens K, 970
Sterry W, 721, 975
Stevanovic S, 891
Stockinger H, 110
Stoitzner P, 641
Stojan J, 964
Stolz W, 983
Storz M, 874
Strickland FM, 62
Strickland I, 658
Strom M, 144
Stuart P, 823
Stücker M, 629
Sturm RA, 224
Sullivan K, 144
Summers R, 175
Sun P, 69
Sun Y, 62
Supp AP, 650
Suzuki Y, 993
Svendsen ML, 702
Swale VJ, 246
Swope VB, 650
Sybert VP, 970
Szabowski A, 816
Szepietowski JC, 476

T

Takema Y, 578
Taketani S, 610
Takizawa Y, 991, 993
Tanabe Y, 118
Tawab A, 731
Taylor JM, 77
Taylor TB, 348
Tenconi R, 806
Tenhunen R, 610
Termeer CC, 93
Teuchner K, 629
Thomas GJ, 898
Thöny B, 167

Tian WD, 840
Tilg H, 641
Tilgen W, 102, 344
Timonen K, 610
Tobin DJ, 236, 947
Todd C, 564
Tomic-Canic M, 633
Tomkinson A, 658
Toole JWP, 175
Torrisi MR, 623
Trautinger F, 459
Tse E, 77
Tsou HC, 614
Tsujimoto T, 359
Tyrone JW, 50

U

Ugurel S, 102
Uitto J, 339, 474, 483
Urosevic M, 874
Uter W, 478

V

Vahlquist A, 964
Valdes-Flores M, 456
Valery C, 426
Van Den Wijngaard RMJGJ, 409
Van Ruissen F, 12, 693
Van Vlijmen-Willems IMJJ, 693
Van Vooren J-P, 679
Vandermeeren M, 124
Vasseur S, 426
Vaughan TE, 40
Vegas-Diaz B, 525
Vergopoulos A, 721
Verrando P, 426
Verrecchia F, 755
Vihalemm T, 886
Villa R, 867
Visco V, 623
Vogt T, 983
Volk H-D, 721
Vollmer M, 880
Von und zu Fraunberg M, 610
Voorhees JJ, 823

W

Wainstok R, 664
Walker D, 77
Wang B, 350
Wang X, 69
Wang X-Q, 940
Warden GD, 650
Watanabe H, 989
Watanabe S, 3, 769
Watson REB, 672
Watt FM, 556
Weaver JC, 40
Welker P, 387
Wenk J, 833
Wennerstrand L, 606
Werfel T, 926
Wernet D, 891
Werther GA, 491
Westergaard M, 702
Westphal G, 319
Weyergraf A, 498
Whitlach LW, 910
Whittaker S, 484
Wiese A, 975
Willers J, 874
Williams M, 739
Winchurch R, 286
Wingerath T, 196
Wittmann M, 926
Wlaschek M, 833
Wolff K, 110
Wollina U, 531
Wolter M, 596
Wood JM, 167
Woolford A, 484
Wörl J, 313
Wouters H, 124
Wraight CJ, 491
Wu Xiu L, 614
Wulf HC, 536

X

Xia Y-P, 50
Xu G, 194

Y

Yamazaki K, 520
Yang Y, 482
Yi Jong-Yuk, 374
Youn Choon Shik, 915

Z

Zaccaro L, 286
Zaffaroni N, 867
Zambruno G, 182, 728
Zanetti M, 230
Zeeuwen PLJM, 12, 693
Zepter K, 874
Zhang H, 614
Zhang MJ, 614
Zhao Q, 296
Zhao Y, 50
Zhou J, 774
Zhu K, 203
Zhu XH, 910
Zhu X, 482
Zilmer M, 886
Zöller M, 344
Zollner TM, 275
Zone JJ, 348
Zouboulis CC, 793
Zuberbier T, 387

A

Aberrant Expression of Adhesion Molecules by Sézary Cells: Functional Consequences Under Physiologic Shear Stress Conditions, Hwang ST, Fitzhugh DJ, 466

Accumulation of the Xanthophyll Lutein in Skin Amyloid Deposits of Systemic Amyloidosis (AL Type), *Letter*, Bruch-Gerharz D, Stahl W, Gerharz C-D, Megahed M, Wingerath T, Sies H, Ruzicka T, 196

F-Actin, regulation by PECAM-1, 110

Activation of Expression of Hedgehog Target Genes in Basal Cell Carcinomas, Bonifas JM, Pennypacker S, Chuang P-T, Mcmahon AP, Williams M, Rosenthal A, Desauvage FJ, Epstein EH, 739

Activation of Murine Epidermal Vγ5/Vδ1-TCR$^+$ T Cell Lines by Glu-Tyr Polypeptides, Seo SJ, Lahn M, Cady C, Vollmer M, O'Brien RL, Born WK, Reardon CL, 880

Adenoviral Gene Transfer Restores Lysyl Hydroxylase Activity in Type VI Ehler–Danlos Syndrome, Rauma T, Kumpumäki S, Anderson R, Davidson BL, Ruotsalainen H, Myllylä R, Hautala T, 602

Adenoviral vector, lysyl hydroxylase 1 gene, 602

Adherens junctions, PECAM-1 and vascular endothelial cadherin, 110

Adhesion molecules, Sézary cells, 466

Aging
- fibrillin-1 in photoaged skin, 672
- human body odor changes, 520
- keratinocyte migration in hypoxia and, 50
- lentigo senilis, 571
- skin fluorescence, 536, 840
- topical vitamin C and, 853
- tropoelastin expression and, 915

Aging and Effects of Ultraviolet A Exposure may be Quantified by Fluorescence Excitation Spectroscopy *In Vivo*, Tian WD, Gillies R, Brancaleon L, Kollias N, 840

A Homozygous Nonsense Mutation in Type XVII Collagen Gene (*COL17A1*) Uncovers an Alternatively Spliced mRNA Accounting for an Unusually Mild Form of Non-Herlitz Junctional Epidermolysis Bullosa, Ruzzi L, Pas H, Posteraro P, Mazzanti C, Didona B, Owaribe K, Meneguzzi G, Zambruno G, Castiglia D, D'Alessio M, 182

Allergic contact dermatitis, oxidative damage, 886

Alloantigens, rejection of UV-induced skin tumors and, 62

Alopecia, androgenetic, *see* Male-pattern baldness

αvβ6 Integrin Upregulates Matrix Metalloproteinase 9 and Promotes Migration of Normal Oral Keratinocytes, Thomas GJ, Poomsawat S, Lewis MP, Hart IR, Speight PM, Marshall JF, 898

Altered Expression of Angiopoietins and Tie2 Endothelium Receptor in Psoriasis, Kuroda K, Sapadin A, Shoji T, Fleischmajer R, Lebwohl M, 713

An Alternative Approach to Depigmentation by Soybean Extracts via Inhibition of the PAR-2 Pathway, Paine C, Sharlow E, Liebel F, Eisinger M, Shapiro S, Seiberg M, 587

Amyloidosis, lutein accumulation, 196

Amyotrophic lateral sclerosis, LIF expression in skin, 476

Androgen receptors
- gene polymorphisms
  - in male pattern baldness, 452
  - in seborrheic keratosis, 506
- in human skin cells, 793

Androgens
- homeostasis in skin, 793
- *see also* Testosterone

Angiopoietins, in psoriasis, 713

Ankyrin-3, in mouse skin, 216

Antagonistic Effects of the Staphylococcal Enterotoxin A Mutant, $SEA_{F47A-D227A}$, on Psoriasis in the SCID-hu Xenogeneic Transplantation Model, Boehncke W-H, Hardt-Weinelt K, Nilsson H, Wolter M, Dohlsten M, Ochsendorf F-R, Kaufmann R, Antonsson P, 596

Anti-LABD97 antibodies, in bullous pemphigoid, 348

Anti-Microbial Activity and Cell Binding are Controled by Sequence Determinants in the Anti-Microbial Peptide PR-39, Chan YR, Zanetti M, Gennaro R, Gallo RL, 230

Antimicrobial peptides
- cathelicidin, 230
- in wounds and tissue-engineered skin, 471

Anti-sense *Sp1*, extracellular matrix gene expression and, 755

AP-1, in keratinocyte-fibroblast interactions, 816

Apolipoprotein E (apoE), enhancer controling expression, 77

Apoptosis
- contraction-dependent, fibroblasts, 686
- keratinocyte, 366, 860, 947

Ascorbic acid, topical therapy, 853

An Association Between Sebaceous Carcinoma and Microsatellite Instability in Immunosuppressed Organ Transplant Recipients, Harwood CA, Swale VJ, Bataille VA, Quinn AG, Ghali L, Patel SV, Dove-Edwin I, Cerio R, McGregor JM, 246

Atopic dermatitis
- IL-13 production, 3
- *Staphylococcus aureus* binding to skin, 658
- topical tacrolimus, 480
- vasoactive intestinal peptide and, 743

ATP2A2 gene, novel mutations, 482

Attenuated Total Reflection–Fourier Transform Infrared Spectroscopy as a Possible Method to Investigate Biophysical Parameters of Stratum Corneum *In Vivo*, Brancaleon L, Bamberg MP, Sakamaki T, Kollias N, 380

Autoantibodies
- in bullous pemphigoid, 348
- in paraneoplastic pemphigus, 556
- in pemphigus vulgaris, 489

An Autocrine Loop Mediates Expression of Vascular Endothelial Growth Factor in Human Dermal Microvascular Endothelial Cells, Vega-Diaz B, Herron GS, Michel S, 525

Autofluorescence of Human Skin is Age-Related After Correction for Skin Pigmentation and Redness, Na R, Stender I-M, Henriksen M, Wulf HC, 536

Autoimmune bullous disease, plakin autoantibodies, 556

Autoimmune disease, vitiligo as, 891

B

BALB/C mice, 658

Barrier function, skin
- drug metabolism/transport, 541
- in psoriasis, 394
- role of histamine receptors, 261
- testosterone-induced perturbation, 443

Basal cell carcinoma
- gangliosides with 9-*O*-acetylated sialic acids, 254
- hedgehog target genes, 739
- melanocortin-1 receptor genotype and, 224
- multiple, 472
- *PTCH* mutations, 614

Bcl-2, impact on keratinocytes, 366

BCL-6, in psoriatic keratinocytes, 305

Bcl-x_L, UVB-induced keratinocyte apoptosis and, 860

Biochemical Roles of Testosterone and Epitestosterone to 5α-Reductase as Indicators of Male-Pattern Baldness, Choi MH, Yoo YS, Chung BC, 57

Blocking Sp1 Transcription Factor Broadly Inhibits Extracellular Matrix Gene Expression *In Vitro* and *In Vivo*: Implications for the Treatment of Tissue Fibrosis, Verrecchia F, Rossert J, Mauviel A, 755

Body odor, human, 520

Book reviews, Brunjinzeel-Koomen CAFM, Knol EF, *Immunology and Drug Therapy of Allergic Skin Diseases*, 828

Bowman–Birk inhibitor, depigmenting activity, 587

BRCA1, and *PTCH* mutations, coincident, 472

0022-202X/00/$15.00 • Copyright © 2001 by The Society for Investigative Dermatology, Inc.

Breast cancer, familial, 472
Bullous congenital ichthyosiform erythroderma (BCIE), 992
Bullous pemphigoid, IgG anti-LABD97 antibodies, 348
Bullous pemphigoid antigen 180 (BP180, BPAg2), IgG anti-LABD97 antibodies and, 348

C

C1r precursor, in grafted mouse skin, 374
C4.4A, expression in melanoma, 344
C57BL/6 mice, 236, 920
Cadherins, desmosomal, 144
Calcipotriol, vitamin D receptor signaling, 785
Calcitonin-gene-related peptide, hair growth and, 236
Calcium
  binding proteins, 905, 956
  IGFBP-3 expression and, 491
Calcium Regulates the Expression of Insulin-Like Growth Factor Binding Protein 3 by the Human Keratinocyte Cell Line HaCaT, Edmondson SR, Werther GA, Wraight CJ, 491
Calmodulin-like skin protein, 905
Calmodulin-Like Skin Protein: A New Marker of Keratinocyte Differentiation, Méhul B, Bernard D, Schmidt R, 905
Cancer Cell Expression of Urokinase-Type Plasminogen Activator Receptor mRNA in Squamous Cell Carcinomas of the Skin, Romer J, Pyke C, Lund LR, Ralfkiær E, Dano K, 353
Candida albicans, UV-induced skin tumors and, 62
β-Catenin, regulation by PECAM-1, 110
Cathelicidins, 230
Cathepsin C gene, mutations and polymorphisms, 339
Cationic liposomes, for cutaneous gene transfer, 131
Cavalieri's principle, 313
CC chemokine receptor 3 (CCR3)
  eotaxin-2 and eotaxin-3 actions, 498
  on human keratinocytes, 549
CD1a, recycling in Langerhans cells, 401
CD1a Molecules Traffic Through the Early Recycling Endosomal Pathway in Human Langerhans Cells, Salamero J, Bausinger H, Mommaas AM, Lipsker D, Proamer F, Cazenave J-P, Goud B, de la Salle H, Hanau D, 401
CD4, Langerhans cell migration and, 641
$CD8^+$ T cells, melanocyte-specific, in vitiligo, 891
CD28, in γδ-TCR^+ T cell responses, 880
CD31 (PECAM-1), in adherens junctions, 110
CD44, hyaluronic acid interaction in melanoma, 93
CD44 is the Principal Mediator of Hyaluronic-Acid-Induced Melanoma Cell Proliferation, Ahrens T, Assmann V, Fieber C, Termeer CC, Herrlich P, Hoffmann M, Simon JC, 93
CD45, clonal T cells in Sézary syndrome, 188
CD95, keratinocyte apoptosis and, 860
CD144, in adherens junctions, 110
CD 367, calmodulin-like skin protein and, 905
cDNA array hybridization, keratinocyte genes, 983
CDw60, expression by psoriatic keratinocytes, 305
CDw150, clonal T cells in Sézary syndrome, 188
C/EBPβ, IL-1 actions, 330
Ceramides, in psoriasis, 394
Characterization of the CC Chemokine Receptor 3 on Human Keratinocytes, Petering H, Kluthe C, Dulkys Y, Kiehl P, Ponath P, Kapp A, Elsner J, 549
Characterization of Group X Phospholipase A_2 as the Major Enzyme Secreted by Human Keratinocytes and its Regulation by the Phorbol Ester TPA, Schadow A, Scholz-Pedretti K, Lambeau G, Gelb MH, Fürstenberger G, Pfeilschifter J, Kaszkin M, 31
Characterization of Mouse *Frizzled-3* Expression in Hair Follicle Development and Identification of the Human Homolog in Keratinocytes, Hung BS, Wang X-Q, Cam GR, Rothnagel JA, 940
Chemokine receptors
  CCR3, *see* CC chemokine receptor 3
  CXCR2, IL-10-induced downregulation, 319
Chemokines, fibroblast, 498
Chemotaxis, Langerhans cells, 641
Chromosomally Clonal T Cells in the Skin, Blood, or Lymph Nodes of two Sezary Syndrome Patients Express CD45RA, CD45RO, CDw150, and Interleukin-4, but no Interleukin-2 or Interferon-γ, Karenko L, Nevala H, Raatikainen M, Franssila K, Ranki A, 188
Chromosome 1q21, PSORS4 susceptibility region, 728
Chromosome 6p21, *HCR* gene, 750
Chymase, mast cell, in scleroderma model, 118
Clonality
  detection in CTCL, 926
  seborrheic keratosis, 506
  see also T cells, clonal
Clonal Nature of Seborrheic Keratosis Demonstrated by Using the Polymorphism of the Human Androgen Receptor Locus as a Marker, Nakamura H, Hirota S, Adachi S, Ozaki K, Asada H, Kitamura Y, 506
Coincident PTCH and BRCA1 Germline Mutations in a Patient with Nevoid Basal Cell Carcinoma Syndrome and Familial Breast Cancer, *Letter*, Reifenberger J, Arnold N, Kiechle M, Reifenberger G, Hauschild A, 472
Collagen
  I and III, topical vitamin C and, 853
  VII, in photoaged skin, 672
  XVII (*COL17A1*) nonsense mutation, 182
  anti-sense *Sp1* and, 755
  cross-links, photoaged skin, 840
  lattice, dermal dendritic cells, 933
  lysine hydroxylation defects, 602
  synthesis, endothelin-1 actions, 417
Colophony, and "oakmoss" patch testing, 478
Colorectal cancer, hereditary nonpolyposis, 463
Complement C1R precursor, in grafted mouse skin, 374
Compound Heterozygous TGM1 Mutations Including a Novel Missense Mutation L204Q in a Mild Form of Lamellar Ichthyosis, *Letter*, Akiyama M, Takizawa Y, Suzuki Y, Ishiko A, Matsuo I, Shimizu H, 993
Confocal laser scanning microscope, 313
Confocal microscopy, *in vivo* reflectance, 846
Confocal Raman spectroscopy, *in vivo*, 434
Contact dermatitis, oxidative damage, 886
Contact-Free Spectroscopy of Leg Ulcers: Principle, Technique, and Calculation of Spectroscopic Wound Scores, Schmidt WD, Liebold K, Fassler D, Wollina U, 531
Contact hypersensitivity, CTLA-4 and, 764
Contraction-Dependent Apoptosis of Normal Dermal Fibroblasts, Niland S, Cremer A, Fluck J, Eble JA, Krieg T, Sollberg S, 686
Contrasting Localization of c-Myc with Other Myc Superfamily Transcription Factors in the Human Hair Follicle and During the Hair Growth Cycle, Bull JJ, Müller-Röver S, Patel SV, Chronnell CMT, McKay IA, Philpott MP, 617
Corneodesmosomes, in normal and dry skin, 23
Cryosurgery-induced necrosis, 664
CTLA-4, in contact hypersensitivity, 764
Cultured skin substitutes
  insulin requirements, 650
  see also Organotypic cultures
Cutaneous T cell lymphoma (CTCL)
  clonal TCR γ gene rearrangements, 926
  immunophenotype of chromosomal clones, 188
  interferon inhibiting cytokine factor (IK), 874
  SC5 receptor expression, 731
CXCR2, IL-10-induced downregulation in psoriasis, 319
Cyclic AMP (cAMP), IL-13 production induced by, 3
Cyclobutane dimers
  chronic UVB exposure and, 209
  UVA-induced formation, 281
Cystatin M/E, in keratinocytes and sweat glands, 693
Cystatin M/E Expression is Restricted to Differentiated Epidermal Keratinocytes and Sweat Glands: a New Skin-Specific Proteinase Inhibitor that is a Target for Cross-Linking by Transglutaminase, Zeeuwen PLJM, van Vlijmen-Willems MJJ, Jansen BJH, Sotiropoulou G, Curfs JH, Meis JFGM, Janssen JJM, van Ruissen F, Schalkwijk J, 693
Cysteine proteinase inhibitors, in keratinocytes and sweat glands, 693
Cytochalasin D, fibroblast apoptosis and, 686
Cytochrome P450 enzymes, in human keratinocytes, 541
Cytokeratin, *see* Keratin
Cytokines
  keratinocyte, *Malassezia* and, 769
  Th1/Th2, *see* Th1:Th2 cytokine ratio
  see also Individual cytokines
Cytotoxic T cells, melanocyte-specific, in vitiligo, 891

D

Darier disease, 482
Decorin, topical vitamin C and, 853

Defensin-2, human β, 471
Deferoxamine-coupled cellulose wound dressing, 833
Delayed-type hypersensitivity, in rejection of UV-induced skin tumors, 62
Deletion of Exons 1–5 of the STS Gene Causing X-Linked Ichthyosis, Valdes-Flores M, Kofman-Alfaro SH, Jimenez Vaca AL, Cuevas-Covarrubias SA, 456
Dendritic cells
  CD1a recycling, 401
  fumaric acid ester-inhibited differentiation, 203
  IL-16-induced migration, 641
  monocyte-derived, in dermal equivalent, 933
  see also Langerhans cells
Dermal equivalent, monocytes and monocyte-derived dendritic cells, 933
Dermal Fibroblasts Sustain Proliferation of Activated T Cells via Membrane-Bound Interleukin-15 upon Long-Term Stimulation with Tumor Necrosis Factor-α, Rappl G, Kapsokefalou A, Heuser C, Röβler M, Ugurel S, Tilgen W, Reinhold U, Abken H, 102
Dermatophagoides pteronyssinus, 3
Dermis
  DNA repair, 209
  effects of topical vitamin C, 853
  invasion by Kaposi's sarcoma cells, 679
  in vivo reflectance confocal microscopy, 846
Desmocollin-1 isoform 1, in keratinocytes, 144
Desmoglein (Dsg) antibodies, in pemphigus vulgaris, 489
Detection of Clonal T Cell Receptor γ Gene Rearrangements in Cutaneous T Cell Lymphoma by LightCycler-Polymerase Chain Reaction, Gutzmer R, Mommert S, Kiehl P, Wittmann M, Kapp A, Werfel T, 926
Detection of Differentially Regulated Genes in Keratinocytes by cDNA Array Hybridization: Hsp27 and Other Novel Players in Response to Artificial Ultraviolet Radiation, Becker B, Vogt T, Landthaler M, Stolz W, 983
Detection of mRNA for Eotaxin-2 and Eotaxin-3 in Human Dermal Fibroblasts and Their Distinct Activation Profile on Human Eosinophils, Dulkys Y, Schramm G, Kimmig D, Knöβ S, Weyergraf A, Kapp A, Elsner J, 498
Detection of Sialic Acids and Gangliosides with Special Reference to 9-*O*-Acetylated Species in Basaliomas and Normal Human Skin, Fahr C, Schauer R, 254
Diene conjugates, in contact dermatitis, 886
Differential Activation of Migration by Hypoxia in Keratinocytes Isolated from Donors of Increasing Age: Implication for Chronic Wounds in the Elderly, Xia Y-P, Zhao Y, Tyrone JW, Chen A, Mustoe TA, 50
Differential Expression of Functional Guanylyl Cyclases in Melanocytes: Absence of Nitric-Oxide-Sensitive Isoform in Metastatic Cells, Ivanova K, Das PK, van den Wijngaard RMJGJ, Lenz W, Klockenbring T, Malcharzyk V, Drummer C, Gerzer R, 409
Differential Stromal Regulation of MMP-1 Expression in Benign and Malignant Keratinocytes, Airola K, Fusenig NE, 85
1α25-Dihydroxyvitamin D_3, 785
Dimethylfumarate
  actions in fibroblasts, 124
  dendritic cell differentiation and, 203
Dimethylfumarate is an Inhibitor of Cytokine-Induced Nuclear Translocation of NF-κBl, But Not RelA in Normal Human Dermal Fibroblast Cells, Vandermeeren M, Janssens S, Wouters H, Borghmans I, Borgers M, Beyaert R, Geysen J, 124
Diode-array visible spectroscopy, leg ulcers, 531
Diphenhydramine, skin barrier repair and, 261
Dissector method, optical, 313
DNA, plasmid, 131, 979
DNA damage, UV-induced
  chronic UVB exposure, 209
  phototherapy lamps and sunlamps, 194
  in PUVA, 281
DNA mismatch repair defects, 246, 463
DNA Photodamage Induced by UV Phototherapy Lamps and Sunlamps in Human Skin *In Situ* and its Potential Importance for Skin Cancer, *Letter*, Xu G, Marcusson JA, Hemminki K, 194
DNA repair, chronic UVB exposure and, 209
Drug metabolism/transport, human keratinocytes, 541
Dry environment, barrier disruption in, 261
Dry skin, corneodesmosomes in, 23

E

Early- and Late-Stage Kaposi's Sarcoma-Derived Cells But Not Activated Endothelial Cells Can Invade De-Epidermized Dermis, Simonart T, Degraef C, Mosselmans R, Hermans P, Lunardi-Iskandar Y, Noel J-C, Van Vooren J-P, Parent D, Heenen M, Galand P, 679
Eccrine sweat glands, cystatin M/E, 693
The Effect of Methoxsalen Dose on Ultraviolet-A-Induced Erythema, Ibbotson SH, Dawe RS, Farr PM, 813
Effects of Chronic Exposure to Ultraviolet B Radiation on DNA Repair in the Dermis and Epidermis of the Hairless Mouse, Mitchell DL, Byrom M, Chiarello S, Lowery MG, 209
The Effects of *Malassezia* Yeasts on Cytokine Production by Human Keratinocytes, Watanabe S, Kano R, Sato H, Nakamura Y, Hasegawa A, 769
Effects of Systemic Interleukin-10 Therapy on Psoriatic Skin Lesions: Histologic, Immunohistologic, and Molecular Biology Findings, Asadullah K, Friedrich M, Hanneken S, Rohrbach C, Audring H, Vergopoulos A, Ebeling M, Döcke W-D, Volk H-D, Sterry W, 721
Efficient Gene Expression in Skin Wound Sites Following Local Plasmid Injection, Meuli M, Liu Y, Liggitt D, Kashani-Sabet M, Knauer S, Meuli-Simmen C, Harrison MR, Adzick NS, Heath TD, Debs RJ, 131
Ehlers–Danlos syndrome, gene therapy, 602
Elastin, topical vitamin C and, 853
Elderly
  keratinocyte migration and hypoxia, 50
  see also Aging
Electroporation, for transdermal drug delivery, 40
Endosomes, CD1a recycling, 401
Endothelial cells
  angiopoietin/Tie2 expression in psoriasis, 713
  in HSV-1-induced erythema multiforme, 150
  invasion of de-epidermized dermis, 679
  VEGF expression, 525
Endothelin-1, in tissue remodeling and fibrosis, 417
Endothelin-converting enzyme 1α, 571
Endothelins, in lentigo senilis, 571
Enhancer, controlling apoE expression in skin, 77
Enhancing 1α-Hydroxylase Activity with the 25-Hydroxyvitamin D-1α-Hydroxylase Gene in Cultured Human Keratinocytes and Mouse Skin, Flanagan JN, Whitlatch LW, Chen TC, Zhu XH, Holick MT, Kong X-F, Holick MF, 910
Envoplakin antibodies, in paraneoplastic pemphigus, 556
Eosinophils, eotaxin-2 and eotaxin-3 actions, 498
Eotaxin-2/eotaxin-3, 498
Epidermal growth factor receptor
  ganglioside-modulated binding, 69
  UVB-induced keratinocyte apoptosis and, 860
Epidermal H_2O_2 Accumulation Alters Tetrahydrobiopterin ($6BH_4$) Recycling in Vitiligo: Identification of a General Mechanism in Regulation of All $6BH_4$-Dependent Processes? Schallreuter KU, Moore J, Wood JM, Beazley WD, Peters EMJ, Marles LK, Behrens-Williams S, Dummer R, Blau N, Thöny B, 167
Epidermis
  DNA repair, 209
  Langerhans cell quantification, 313
  serial analysis of gene expression, 12
Epidermolysis bullosa
  carrier frequencies in US, 483
  Herlitz junctional, 474
  non-Herlitz junctional, 182
  simplex, keratin 5 mutations, 964, 970
Epidermolysis Bullosa Carrier Frequencies in the US Population, *Letter*, Pfendner E, Uitto J, Fine J-D, 483
Epitestosterone, in male-pattern baldness, 57
Erythema
  multiforme, HSV-1-induced, 150
  UVA-induced, methoxsalen dose effects, 813
Erythroderma, bullous congenital ichthyosiform (BCIE), 992
Evidence for Novel Functions of the Keratin Tail Emerging from a Mutation Causing Ichthyosis Hystrix, Sprecher E, Ishida-Yamamoto A, Becker OM, Marekov L, Miller CJ, Steinert PM, Neldner K, Richard G, 511
Expression of the Apolipoprotein E Gene in the Skin is Controlled by a Unique Downstream Enhancer, Grehan S, Allan C, Tse E, Walker D, Taylor JM, 77
Expression of Calcium-Binding S100 Proteins A4 and A6 in Regions of the Epithelial Sac Associated with the Onset of Hair Follicle Regeneration, Ito M, Kizawa K, 956
Expression, Candidate Gene, and Population Studies of the Melanocortin 5 Receptor, Hatta N, Dixon C, Ray AJ, Phillips SR, Cunliffe WJ, Dale M, Todd C, Meggit S, Birch-Machin MA, Rees JL, 564

Expression of Insulin-Like Growth Factor I by Cultured Skin Substitutes Does Not Replace the Physiologic Requirement for Insulin *In Vitro*, Swope VB, Supp AP, Greenhalgh DG, Warden GD, Boyce ST, 650
Expression of Mast Cell Growth Modulating and Chemotactic Factors and their Receptors in Human Cutaneous Scars, Hermes B, Welker P, Feldmann-Böddeker I, Krüger-Krasagakis S, Hartmann K, Zuberbier T, Henz BM, 387
Expression of Multiple Cytochrome P450 Enzymes and Multidrug Resistance-Associated Transport Proteins in Human Skin Keratinocytes, Baron JM, Höller D, Schiffer R, Frankenberg S, Neis M, Merk HF, Jugert FK, 541
Expression of a Truncated Keratin 5 May Contribute to Severe Palmar–Plantar Hyperkeratosis in Epidermolysis Bullosa Simplex Patients, Livingstone RJ, Sybert VP, Smith LT, Dale BA, Presland RB, Stephens K, 970
Extracellular matrix
  endothelin-1 actions, 417
  genes, anti-sense *Sp1* and, 755

F

Famotidine, skin barrier repair and, 261
Fatty acids, θ7 unsaturated, skin surface, 520
Fc receptor γ chain, terminology, 350
FcRγ Represents the Fc Receptor γ Chain Whereas FcγR Means the Fc Receptor for IgG, *Letter*, Wang B, Sauder DN, 350
Fenton reaction, deferoxamine dressing and, 833
Fibrillin-1, as marker in photoaged skin, 672
Fibrinogen, *Staphylococcus aureus* binding, 658
Fibroblast Growth Factor 10 Induces Proliferation and Differentiation of Human Primary Cultured Keratinocytes, Marchese C, Felici A, Visco V, Lucania G, Igarashi M, Picardo M, Frati L, Torrisi MR, 623
Fibroblast growth factor (FGF)
  10 (FGF10), actions on keratinocytes, 623
  adherens junction modulation, 110
  basic, angiopoietin-Tie2 expression and, 713
Fibroblast Matrix Gene Expression and Connective Tissue Remodeling: Role of Endothelin-1, Shi-wen X, Denton CP, Dashwood MR, Holmes AM, Bou-Gharios G, Pearson JD, Black CM, Abraham DJ, 417
Fibroblasts
  contraction-dependent apoptosis, 686
  deferoxamine dressing and, 833
  dimethylfumarate actions, 124
  eotaxin expression, 498
  keratinocyte interactions, 816
  lysyl hydroxylase 1 gene transfection, 602
  regulation of MMP-1, 85
  role of endothelin-1, 417
  T cell proliferation and, 102
Fibronectin
  oral keratinocyte migration and, 898
  Staphylococcus aureus binding, 658
Fibrosis
  role of endothelin-1, 417
  role of IL-4 and TGF-β, 136
  in scleroderma model, 118
  Sp1 transcription factor and, 755
Fine Mapping of the PSORS4 Psoriasis Susceptibility Region on Chromosome 1q21, Capon F, Semprini S, Chimenti S, Fabrizi G, Zambruno G, Murgia S, Carcassi C, Fazio M, Mingarelli R, Dallapiccola B, Novelli G, 728
FK506, topical, in atopic dermatitis, 480
Fluorescence
  aged/photoaged skin, 840
  human skin, 536
  melanin, 629
Frizzled-3 gene, 940
Fumaric acid esters, dendritic cell differentiation and, 203

G

Ganglioside Modulates Ligand Binding to the Epidermal Growth Factor Receptor, Wang X, Rahman Z, Sun P, Meuillet E, George D, Bremer EG, Al-Qamari A, Paller AS, 69
Gangliosides
  in basal cell carcinoma, 254
  epidermal growth factor receptor binding and, 69
  in psoriatic keratinocytes, 305
Gene therapy
  in Ehlers–Danlos syndrome, 602
  25-hydroxyvitamin D-1α-hydroxylase, 910
  plasmid injection, 131, 979
Genetic and Clinical Heterogeneity in Transgressive Palmoplantar Keratoderma, *Letter*, Lestringant GG, Frossard PM, Eckl K-M, Reis A, Hennies HC, 825
Glomus tumors of skin, multiple, 475
Glutathione, in contact dermatitis, 886
Granulation tissue, contact-free spectroscopy, 531
Granulocyte–macrophage colony stimulating factor (GM-CSF)
  cryosurgery-induced necrosis and, 664
  in fibroblast-keratinocyte interactions, 816
  in human scars, 387
Green fluorescent protein (GFP), 910
Guanylyl cyclases, expression in melanocytes, 409
Guinea pig, UVB-induced pigmentation, 578

H

H11 (a novel gene), 286
HaCaT keratinocytes
  IGFBP-3, 491
  impact of Bcl-2 and Ha-ras, 366
  phospholipase A_2 secretion, 31
  regulation of MMP-1 expression, 85
  UVB-induced apoptosis, 860
Hair
  growth cycle
    Myc localization, 617
    sensory neuropeptides and, 236
  steroids, in male-pattern baldness, 57
Hair-Cycle-Associated Remodeling of the Peptidergic Innervation of Murine Skin, and Hair Growth Modulation by Neuropeptides, Peters EMJ, Botchkarev VA, Botchkareva NV, Tobin DJ, Paus R, 236
Hair follicles
  apoE expression, 77
  cystatin M/E, 693
  Frizzled-3 gene expression, 940
  morphogenesis, 947
  Myc localization, 617
  novel type II cytokeratin, mK6irs, 359
  S100A4 and S100A6, 956
  skin polyamines and, 801
  type I keratin intermediate filament, 157
Hairless mouse
  chronic UVB exposure, 209
  fluorescence of photoaged skin, 840
  histamine and skin barrier function, 261
  spermidine/spermine N^1-acetyltransferase transgene-expressing, 801
Ha-ras, impact on keratinocytes, 366
The *HCR* Gene on 6p21 is Unlikely to be a Psoriasis Susceptibility Gene, O'Brien KP, Holm SJ, Nilsson S, Carlén L, Rosenmüller T, Enerbäck C, Inerot A, Stahle-Bäckdahl M, 750
HCR gene, psoriasis susceptibility and, 750, 823
Heat shock protein 27 kDa (Hsp27), 983
Hedgehog signaling pathway genes, in basal cell carcinoma, 739
Hemochromatosis, 774
Herpes simplex virus
  1 (HSV-1)-induced erythema multiforme, 150
  2 (HSV-2), ribonucleotide reductase protein kinase, 286
High Macrophage Migration Inhibitory Factor (MIF) Serum Levels Associated with Extended Psoriasis, *Letter*, Shimizu T, Nishihira J, Mizue Y, Nakamura H, Abe R, Watanabe H, Ohkawara A, Shimizu H, 989
Histamine H_1 and H_2 Receptor Antagonists Accelerate Skin Barrier Repair and Prevent Epidermal Hyperplasia Induced by Barrier Disruption in a Dry Environment, Ashida Y, Denda M, Hirao T, 261
Histamine H_1 and H_2 receptors, in skin barrier function, 261
HLA-C gene Cw^*0602 allele, *HCR* and, 750
HLA-A2 Restricted, Melanocyte-Specific $CD8^+$ T Lymphocytes Detected in Vitiligo Patients are Related to Disease Activity and are Predominantly Directed Against MelanA/MART1, Lang KS, Caroli CC, Muhm A, Wernet D, Moris A, Schittek B, Knauss-Scherwitz E, Stevanovic S, Rammensee H-G, Garbe C, 891

HLA class II expression, inhibition by IK, 874
Homozygous Variegate Porphyria: 20 y Follow-Up and Characterization of Molecular Defect, Kauppinen R, Timonen K, von und zu Fraunberg M, Laitinen E, Ahola H, Tenhunen R, Taketani S, Mustajoki P, 610
House dust mite, 3
Human dermal microvascular endothelial cells
in HSV-1 infection, 150
invasion of de-epidermized dermis, 679
VEGF expression, 525
Human skin
androgen homeostasis, 793
C4.4A expression, 344
calmodulin-like skin protein, 905
corneodesmosomes in normal and dry, 23
cystatin M/E, 693
equivalent (HSE), intrinsic antibiotic mechanism, 471
fibrillin-1 as marker of photoaging, 672
fluorescence, 536, 629
in vivo spectroscopy, 380, 434, 531
Langerhans cell quantification, 313
LIF expression, 476
melanocortin-1 receptor genotype, 224
melanocortin 5 receptor, 564
microconduit microfabrication, 40
serial analysis of gene expression, 12
sialic acids and gangliosides, 254
TCRδ repertoire, 275
testosterone and barrier function, 443
topical vitamin C, 853
topographic variations, 846
tropoelastin expression, 915
UVB-induced pigmentation, 578
UV phototherapy lamp and sunlamp-induced damage, 194
Hyaluronic acid, CD44 interaction in melanoma, 93
Hydration, skin, *in vivo* spectroscopy, 380
Hydrogen peroxide (H_2O_2), tetrahydrobiopterin recycling and, 167
1α-Hydroxylase, gene therapy to enhance activity, 910
3α-Hydroxysteroid dehydrogenase, 793
3β-Hydroxysteroid dehydrogenase, 793
17β-Hydroxysteroid dehydrogenase, 793
25-Hydroxyvitamin D-1α-hydroxylase, gene transfer, 910
Hyperpigmentation
PAR-2 inhibitors for depigmentation, 587
UVB-induced, in lentigo senilis, 571
Hypogonadism, epidermal permeability barrier function, 443
Hypopituitarism, epidermal permeability barrier function, 443
Hypoxia, keratinocyte migration in elderly and, 50

I

Ichthyosis
X-linked, 456
hystrix Curth–Macklin, 511
lamellar, 809, 993
Identification of cDNA Encoding a Serine Protease Homologous to Human Complement C1r Precursor from Grafted Mouse Skin, Byun SJ, Bahk YY, Ryoo ZY, Kim K-E, Hwang H-Y, Lee J-W, Yi J-Y, Kim T-Y, 374
IgG, Fc receptor terminology, 350
IgG Anti-LABD97 Antibodies in Bullous Pemphigoid Patients' Sera React with the Mid-Portion of the BPAg2 Ectodomain, *Letter*, Egan CA, Reddy D, Nie Z, Taylor TB, Schmidt LA, Meyer LJ, Petersen MJ, Hashimoto T, Marinkovich MP, Zone JJ, 348
IHABP, in melanoma, 93
IK (interferon inhibiting cytokine factor), in cutaneous T cell lymphoma, 874
Immunology and Drug Therapy of Allergic Skin Diseases, Brunjinzeel-Koomen CAFM, Knol EF, *Book Review*, 828
Immunosuppressive therapy, sebaceous carcinoma and, 246
Immunotherapy, psoriasis, 319, 721
Impact of Bcl-2 and Ha-ras on Keratinocytes in Organotypic Culture, Delehedde M, Cho SH, Hamm R, Brisbay S, Ananthaswamy HN, Kripke M, McDonnell TJ, 366
Increased Expression of a Novel Early Activation Surface Membrane Receptor in Cutaneous T Cell Lymphoma Cells, Nikolova M, Tawab A, Marie-Cardine A, Bagot M, Boumsell L, Bensussan A, 731
Induction and Excretion of Ultraviolet-Induced 8-Oxo-2'-deoxyguanosine and Thymine Dimers *In Vivo*: Implications for PUVA, Cooke MS, Evans MD, Burd RM, Patel K, Barnard A, Lunec J, Hutchinson PE, 281
Inflammation
in cryosurgery-induced necrosis, 664
role of fibroblasts, 102
Th2, *Staphylococcus aureus* binding to skin, 658
Inflammatory Changes after Cryosurgery-Induced Necrosis in Human Melanoma Xenografted in Nude Mice, Gazzaniga S, Bravo A, Goldszmid SR, Maschi F, Martinelli J, Mordoh J, Wainstok R, 664
Influenza C virus assay, 254
Infrared spectroscopy, attenuated total reflection–Fourier transform, 380
Inhibition of Dendritic Cell Differentiation by Fumaric Acid Esters, Zhu K, Mrowietz U, 203
Inner root sheath
novel type II cytokeratin, mK6irs, 359
type I keratin intermediate filament, 157
Insulin, cultured skin substitutes and, 650
Insulin-like growth factor I (IGF-I)
in cultured skin substitutes, 650
receptor, 491
Insulin-like growth factor binding protein 3 (IGFBP-3), 491
Integrins
fibroblast apoptosis and, 686
in oral keratinocyte migration, 898
Interaction of HSV-1 Infected Peripheral Blood Mononuclear Cells with Cultured Dermal Microvascular Endothelial Cells: a Potential Model for the Pathogenesis of HSV-1 Induced Erythema Multiforme, Larcher C, Gasser A, Hattmannstorfer R, Obexer P, Fürhapter C, Fritsch P, Sepp N, 150
Intercellular adhesion molecule 1 (ICAM-1), dimethylfumarate and, 124
Interferon-γ (IFN-γ)
CDw60 expression and, 305
IK actions, 874
in keratinocyte activation cycle, 633
photopheresis and, 459
Interferon inhibiting cytokine factor (IK), in cutaneous T cell lymphoma, 874
The Interferon Inhibiting Cytokine IK is Overexpressed in Cutaneous T Cell Lymphoma Derived Tumor Cells That Fail to Upregulate Major Histocompatibility Complex Class II Upon Interferon-γ Stimulation, Willers J, Häffner A, Zepter K, Storz M, Urosevic M, Burg G, Dummer R, 874
Interleukin-1 (IL-1)
keratinocyte activation, 633
Malassezia yeasts and, 769
regulation of keratin K6, 330
Interleukin-1 Induces Transcription of Keratin K6 in Human Epidermal Keratinocytes, Komine M, Rao LS, Freedberg IM, Simon M, Milisavljevic V, Blumenberg M, 330
Interleukin-2 (IL-2)
photopheresis and, 459
Vγ5/Vδ1-TCR$^+$ T cell responses, 880
Interleukin-4 (IL-4)
CDw60 expression and, 305
clonal T cells in Sézary syndrome, 188
photopheresis and, 459
Interleukin-4Rα, mutations in tight skin mice, 136
Interleukin-6 (IL-6), *Malassezia* yeasts and, 769
Interleukin-8 (IL-8)
IL-10-induced downregulation in psoriasis, 319
Malassezia yeasts and, 769
Interleukin-10 (IL-10)
promoter polymorphism in psoriasis, 975
therapy for psoriasis, 319, 721
Interleukin-10 Promoter Polymorphism in Psoriasis, Asadullah K, Eskdale J, Wiese A, Gallagher G, Friedrich M, Sterry W, 975
Interleukin-13 (IL-13)
cAMP and house dust mite-induced production, 3
CDw60 expression and, 305
Interleukin-15 (IL-15), in fibroblast-mediated T-cell proliferation, 102
Interleukin-16 (IL-16), in Langerhans cell migration, 641
Interleukin-16 Supports the Migration of Langerhans Cells, Partly in a CD4-Independent Way, Stoitzner P, Ratzinger G, Koch F, Janke K, Schöller T, Kaser A, Tilg H, Cruikshank WW, Fritsch P, Romani N, 641
Intermediate filaments
in keratin 5 mutations, 964, 970
type I keratin, 157

Intracellular 3', 5'-Adenosine Cyclic Monophosphate Level Regulates House Dust Mite-Induced Interleukin-13 Production by T Cells from Mite-Sensitive Patients with Atopic Dermatitis, Kanda N, Watanabe S, 3
An Intrinsic Antibiotic Mechanism in Wounds and Tissue-Engineered Skin, *Letter*, Schmid P, Grenet O, Medina J, Chibout S-D, Osborne C, Cox DA, 471
In Vivo Confocal Raman Microspectroscopy of the Skin: Noninvasive Determination of Molecular Concentration Profiles, Caspers PJ, Lucassen GW, Carter EA, Bruining HA, Puppels GJ, 434
Involucrin, PPAR-mediated expression, 702
Iron
  reduction, in chronic wounds, 833
  status, in contact dermatitis, 886
  uptake/retention by keratinocytes, 774
Irritant contact dermatitis, oxidative damage, 886
Isoform-Selective Upregulation of Mast Cell Chymase in the Development of Skin Fibrosis in Scleroderma Model Mice, Kakizoe E, Shiota N, Tanabe Y, Shimoura K, Kobayashi Y, Okunishi H, 118
Is Screening of the Candidate Gene Necessary in Unrelated Partners of Members of Families with Herlitz Junctional Epidermolysis Bullosa? *Letter*, Klausegger A, Pulkkinen L, Pohla-Gubo G, Dallinger G, Puttinger R, Uitto J, Hintner H, Bauer JW, 474

J

c-Jun and JunB, in keratinocyte-fibroblast interactions, 816

K

Kaposi's sarcoma cells, invasion of de-epidermized dermis, 679
Keratin
  1 (KRT1), mutations, 511, 606
  5 (KRT5) mutations, 964, 970
  10, mutation, 992
  17 (*KRT17*) mutations, 806
  K6, regulation by IL-1, 330
  keratinocyte activation and, 633
  novel type II, mK6irs, 359
  unique type I intermediate filament, 157
Keratinocyte Apoptosis Induced by Ultraviolet B Radiation and CD95 Ligation – Differential Protection through Epidermal Growth Factor Receptor Activation and Bcl-x_L Expression, Jost M, Gasparro FP, Jensen PJ, Rodeck U, 860
Keratinocyte CDw60 Expression is Modulated by Both a Th-1 Type Cytokine IFN-γ and Th-2 Cytokines IL-4 and IL-13: Relevance to Psoriasis, Huang BB, Bonish BK, Chaturvedi V, Qin J-Z, Nickoloff BJ, 305
Keratinocyte growth factor, 623
Keratinocytes
  25-hydroxyvitamin D-1α-hydroxylase gene transfection, 910
  activation cycle, 633
  androgen homeostasis, 793
  apoptosis, 366, 860, 947
  Bcl-2 and Ha-ras impact, 366
  calmodulin-like skin protein, 905
  CCR3, 549
  cDNA array hybridization, 983
  CDw60 expression, 305
  cystatin M/E, 693
  cytokines, *Malassezia* and, 769
  desmocollin-1 isoform 1, 144
  drug metabolism/transport, 541
  FGF-10 actions, 623
  fibroblast interactions, 816
  Frizzled-3 gene expression, 940
  ganglioside-modulated EGF-R binding, 69
  in hair follicle morphogenesis, 947
  hypoxic responses in elderly, 50
  IGFBP-3, 491
  in vivo reflectance confocal microscopy, 846
  iron uptake/retention, 774
  keratin K6 regulation by IL-1, 330
  melanocortin 5 receptor, 564
  MMP-1 regulation, 85
  novel gene controling growth, 286
  oral, αvβ6 integrin, 898
  phospholipase A_2 secretion, 31
  plasminogen activator system, 778
  PPAR-mediated gene expression, 702
  serial analysis of gene expression, 12
  TGF-β1 signaling, 266
  tropoelastin mRNA, 915
  vasoactive intestinal peptide receptors, 743
Keratins and the Keratinocyte Activation Cycle, Freedberg IM, Tomic-Canic M, Komine M, Blumenberg M, 633
Keratoderma, palmoplantar, *see* Palmoplantar keratoderma
Ki67, in hair follicle morphogenesis, 947
Kit$^+$ Melanocytes Seem to Contribute to Melanocyte Proliferation After UV Exposure as Precursor Cells, Kawaguchi Y, Mori N, Nakayama A, 920
Kit (c-kit)
  in UVB-induced pigmentation, 578
  in UV-exposed melanocytes, 920
KRT *see* Keratin

L

LABD97 antibodies, in bullous pemphigoid, 348
Lack of Skin Fibrosis in Tight Skin (TSK) Mice with Targeted Mutation in the Interleukin-4Rα and Transforming Growth Factor-β Genes, McGaha T, Saito S, Phelps RG, Gordon R, Noben-Trauth N, Paul WE, Bona C, 136
Lamellar bodies, effects of testosterone, 443
Lamellar ichthyosis, 809, 993
Langerhans cells
  CD1a recycling, 401
  in dermal equivalent, 933
  IL-16-induced migration, 641
  quantification in human skin, 313
Leg ulcers
  contact-free spectroscopy, 531
  deferoxamine-coupled cellulose dressing, 833
Lentigo senilis, 571
Leukaemia inhibitory factor (LIF), in amyotrophic lateral sclerosis, 476
Leukaemia Inhibitory Factor (LIF) Expression in Skin from Amyotrophic Lateral Sclerosis Patients Compared with Skin from Normal Individuals: What is the Function of LIF in the Skin?, *Letter*, McKenzie RC, Szepietowski JC, 476
The Level of Prosaposin is Decreased in the Skin of Patients with Psoriasis Vulgaris, Alessandrini F, Stachowitz S, Ring J, Behrendt H, 394
LFA-1, on Sézary cells, 466
LightCycler-polymerase chain reaction, 926
Limited Concordance Between "Oakmoss" and Colophony in Clinical Patch Testing, *Letter*, Uter W, Gefeller O, Geier J, Schnuch A, 478
Linkage disequilibrium
  HCR and *HLA-C* Cw*0602 allele, 750
  PSORS4 susceptibility region, 728
Lipid peroxidation, deferoxamine wound dressing and, 833
Lipids
  skin, *in vivo* spectroscopy, 380
  skin surface, age-related changes, 520
Loss of heterozygosity, *MSH2* gene, 463
L-selectin, on Sézary cells, 466
Lutein, in skin amyloid deposits, 196
Lymph nodes, regional, CTLA-4+ T cells, 764
Lysyl hydroxylase 1 gene, adenoviral transfer, 602

M

Macrophage migration inhibitory factor (MIF), in psoriasis, 989
Macrophages, in dermal equivalent, 933
Mad proteins, in hair follicles, 617
Malassezia yeasts, cytokine production by keratinocytes and, 769
Mal de Meleda, 198, 825
Male-pattern baldness
  androgen receptor gene polymorphisms, 452
  hair steroids, 57
Malondialdehyde, deferoxamine wound dressing and, 833

Mast cells
chymase, in scleroderma model mice, 118
growth and chemotactic factors in scars, 387
Matrix metalloproteinase-1 (MMP-1)
deferoxamine wound dressing and, 833
endothelin-1 and, 417
stromal regulation of expression, 85
Matrix metalloproteinase-9 (MMP-9), oral keratinocyte migration and, 898
Matrix metalloproteinases (MMPs)
hypoxia in elderly and, 50
topical vitamin C and, 853
Max protein, in hair follicles, 617
MC903 (calcipotriol), vitamin D receptor signaling, 785
MelanA/MART1, $CD8^+$ T cell reactivity, in vitiligo, 891
Melanin, fluorescence, 629
Melanocortin-1 receptor, genotype, 224
Melanocortin-1 Receptor Genotype is a Risk Factor for Basal and Squamous Cell Carcinoma, Box NF, Duffy DL, Irving RE, Russell A, Chen W, Griffiths LR Parsons PG, Green AC, Sturm RA, 224
Melanocortin-5 receptor, 564
Melanocytes
guanylyl cyclase, 409
PAP-1 actions, 426
precursor, UV exposure, 920
regulation of melanosome movement, 296
specific $CD8^+$ T cells, in vitiligo, 891
in UVB-induced pigmentation, 578
α-Melanocyte-stimulating hormone (α-MSH), 564
Melanoma
C4.4A expression, 344
CD44 and hyaluronic acid interactions, 93
cryosurgery-induced necrosis, 664
melanin fluorescence, 629
nitric oxide signaling in metastatic, 409
PAP-1 actions, 426
regulation of telomerase, 867
Melanosomes, Rab3a and SNARE proteins, 296
8-Methoxypsoralen (methoxsalen)
dose, UVA-induced erythema and, 813
plus UVA radiation and extracorporeal photochemotherapy (photopheresis), 459
MHC class II expression, inhibition by IK, 874
Microconduit microfabrication, transdermal, 40
Microfabrication of Individual 200 μm Diameter Transdermal Microconduits Using High Voltage Pulsing in Salicylic Acid and Benzoic Acid, Ilic L, Gowrishankar TR, Vaughan TE, Herndon TO, Weaver JC, 40
Microsatellite instability, 246, 463
Mitf, in UV-exposed melanocytes, 920
Modulation of Keratinocyte Gene Expression and Differentiation by PPAR-Selective Ligands and Tetradecylthioacetic Acid, Westergaard M, Henningsen J, Svendson ML, Johansen C, Jensen UB, Schroder HD, Kratchmarova I, Berge RK, Iversen L, Bolund L, Kragballe K, Kristiansen K, 702
Molecular Evaluation of Vitamin D_3 Receptor Agonists Designed for Topical Treatment of Skin Diseases, Bury Y, Ruf D, Hansen CM, Kissmeyer A-M, Binderup L, Carlberg C, 785
Monocyte chemotactic protein-1 (MCP-1), *Malassezia* yeasts and, 769
Monocytes, in dermal equivalent, 933
Mononuclear cells, peripheral blood, *see* Peripheral blood mononuclear cells
Mouse
ankyrin-3 expression, 216
complement C1R precursor, 374
CTLA-4 in contact hypersensitivity, 764
cutaneous gene transfer, 131
epidermal Vγ5/Vδ1-TCR^+ T cells, 880
fibroblasts, keratinocyte interactions, 816
Frizzled-3 gene, 940
hair follicle morphogenesis, 947
hair follicle regeneration, 956
hair growth, 236
hairless, *see* Hairless mouse
25-hydroxyvitamin D-1α-hydroxylase gene transfer, 910
novel type II cytokeratin, mK6irs, 359
nude, cryosurgery of melanoma, 664
rejection of UV-induced skin tumors, 62
SCID-hu xenogeneic transplantation model, 596
scleroderma model, 118
Staphylococcus aureus binding, 658
testosterone and epidermal barrier function, 443
tight skin (TSK), 136
transgenic, *see* Transgenic mice
UV-exposed precursor melanocytes, 920
MSH2, human homolog (hMSH2), 246, 463
Muir–Torre syndrome, 246, 463
Multidrug resistance-associated transport proteins, 541
Multiple Glomus Tumors of the Skin with Male-to-Male Transmission Over Four Generations, *Letter*, Mayr-Kanhäuser S, Behmel A, Aberer W, 475
Mutations
ATP2A2, 482
BRCA1, 472
cathepsin C, 339
collagen XVII, 182
hedgehog signaling pathway genes, 739
IL-4Rα and TGF-β, 136
keratin 1 (KRT1), 511, 606
keratin 5 (KRT5), 964, 970
keratin 10 (K10), 992
keratin 17 (*KRT17A*), 806
p53, 614
protoporphyrinogen oxidase (PPO), 610, 630, 821
PTCH, 472, 614
steroid sulfatase (STS), 456
transglutaminase-1, 809
Mycosis fungoides
interferon inhibiting cytokine factor, 874
peripheral blood T cell clone, 484
Myc superfamily proteins, in hair follicles, 617

N

Natural moisturizing factor, confocal Raman spectroscopy, 434
Near-infrared confocal microscopy, *in vivo*, 846
Near-infrared spectroscopy
leg ulcers, 531
skin lesions, 175
Necrosis, cryosurgery-induced, 664
Nerve growth factor (NGF), in human scars, 387
Neuropeptides
hair growth and, 236
see also Vasoactive intestinal peptide
Nevoid basal cell carcinoma syndrome, 472
NF-κB1, dimethylfumarate-inhibited nuclear translocation, 124
Nifedipine, photodegraded, iron uptake/accumulation and, 774
Nitric oxide, signaling in metastatic melanoma cells, 409
2-Nonenal, in human body odor, 520
2-Nonenal Newly Found in Human Body Odor Tends to Increase with Aging, Haze S, Gozu Y, Nakamura S, Kohno Y, Sawano K, Ohta H, Yamazaki K, 520
A Novel Gene Expressed in Human Keratinocytes with Long-Term *In Vitro* Growth Potential is Required for Cell Growth, Aurelian L, Smith C, Winchurch R, Kulka M, Gyotoku T, Zaccaro L, Chrest FJ, Burnett JW, 286
A Novel Keratin 5 Mutation (K5V186I) in a Family with EBS-K: a Conservative Substitution Can Lead to Development of Different Disease Phenotypes, Liovic M, Stojan J, Bowden PE, Gibbs D, Vahlquist A, Lane EB, Komel R, 964
Novel Keratin 17 Mutations in Pachyonychia Congenita Type 2, Smith FJD, Coleman CM, Bayoumy NM, Tenconi R, Nelson J, David A, McLean WHI, 806
A Novel Leucine to Valine Mutation in Residue 7 of the Helix Initiation Motif of Keratin10 Leads to Bullous Congenital Ichthyosiform Erythroderma, *Letter*, Ishiko A, Akiyama M, Takizawa Y, Nishikawa T, Shimizu Y, 992
Novel Point Mutations of the ATP2A2 Gene in Two Chinese Families with Darier Disease, *Letter*, Yang Y, Li G, Bu D, Zhu X, 482
Novel Splice Site Mutation in Keratin 1 Underlies Mild Epidermolytic Palmoplantar Keratoderma in Three Kindreds, Hatsell SJ, Eady RA, Wennerstrand L, Dopping-Hepenstal P, Leigh IM, Munro C, Kelsell DP, 606
A Novel Type II Cytokeratin, mK6irs, is Expressed in the Huxley and Henle Layers of the Mouse Inner Root Sheath, Aoki N, Sawada S, Rogers MA, Schweizer J, Shimomura Y, Tsujimoto T, Ito K, Ito M, 359
Nude mice, cryosurgery of melanoma, 664

O

"Oakmoss", and colophony patch testing, 478
Odor, human body, 520
Oligogalacturonide, in rejection of UV-induced skin tumors, 62
Oral keratinocytes, αvβ6 integrin, 898
Organotypic cocultures with Genetically Modified Mouse Fibroblasts as a Tool to Dissect Molecular Mechanisms Regulating Keratinocyte Growth and Differentiation, Maas-Szabowski N, Szabowski A, Stark H-J, Andrecht S, Kolbus A, Schorpp-Kistner M, Angel P, Fusenig NE, 816
Organotypic cultures
  fibroblast-keratinocyte interactions, 816
  impact of Bcl-2 and Ha-ras, 366
  see also Cultured skin substitutes; Skin equivalents
Organ transplant recipients, sebaceous carcinoma and microsatellite instability, 246
Ornithine decarboxylase, skin polyamines and, 801
Outer root sheath, Myc superfamily proteins, 617
Oxidative stress
  in contact dermatitis, 886
  deferoxamine wound dressing and, 833
  PUVA-associated, 281
8-Oxo-2'-deoxyguanosine, UVA-induced formation, 281

P

p53 mutations, in squamous cell carcinoma, 614
Pachyonychia congenita type 2, keratin 17 mutations, 806
Palmar–plantar hyperkeratosis, in epidermolysis bullosa simplex, 970
Palmoplantar keratoderma (PPK)
  epidermolytic, KRT1 mutation, 606
  in ichthyosis hystrix, 511
  Luca Stulli's contribution, 198
  in Papillon–Lefèvre syndrome, 339
  transgressive, heterogeneity, 825
Pancreatitis associated protein I (PAP-I), 426
Pancreatitis Associated Protein I (PAP-I) Alters Adhesion and Motility of Human Melanocytes and Melanoma Cells, Valery C, Vasseur S, Sabatier F, Iovanna J-C, Dagorn J-C, Grob J-J, Verrando P, 426
Papillon-Lefèvre syndrome, 339
Papillon-Lefèvre Syndrome: Mutations and Polymorphisms in the Cathepsin C Gene, Nakano A, Nomura K, Nakano H, Ono Y, LaForgia S, Pulkkinen L, Hashimoto I, Uitto J, 339
The Paracrine Role of Stem Cell Factor/c-kit Signaling in the Activation of Human Melanocytes in Ultraviolet-B-Induced Pigmentation, Hachiya A, Kobayashi A, Ohuchi A, Takema Y, Imokawa G, 578
Paraneoplastic Pemphigus Sera React Strongly with Multiple Epitopes on the Various Regions of Envoplakin and Periplakin, Except for the C-Terminal Homologous Domain of Periplakin, Nagata Y, Karashima T, Watt FM, Salmhofer S, Kanzaki T, Hashimoto T, 556
Patch testing, colophony and "oakmoss", 478
Patients with Allergic and Irritant Contact Dermatitis are Characterized by Striking Change of Iron and Oxidized Glutathione Status in Nonlesional Area of Skin, Kaur S, Zilmer M, Eisen M, Kullisaar T, Rehema A, Vihalemm T, 886
Patterns of Proliferation and Apoptosis during Murine Hair Follicle Morphogenesis, Magerl M, Tobin DJ, Müller-Röver S, Hagen E, Lindner G, McKay IA, Paus R, 947
P-cadherin, in hair follicle morphogenesis, 947
Pemphigus: Is there Another Half of the Story?, Stanley JR, Nishikawa T, Diaz LA, Amagai M, 489
Pemphigus
  paraneoplastic, plakin antibodies, 556
  vulgaris, non-desmoglein antibodies, 489
Peptide histidine methionine, hair growth and, 236
Periodontitis, 339
Peripheral blood mononuclear cells (PBMC)
  8-methoxypsoralen plus UVA therapy, 459
  HSV-1 infection, 150
  macrophage migration inhibitory factor in psoriasis, 989
A Peripheral Blood T Cell Clone is a Prognostic Marker in Mycosis Fungoides, *Letter*, Fraser-Andrews E, Woolford A, Russell Jones R, Whittaker S, 484
Periplakin antibodies, in paraneoplastic pemphigus, 556
Peroxisome proliferator-activated receptors (PPAR), in keratinocytes, 702
Persistence of Both Peripheral and Non-Peripheral Corneodesmosomes in the Upper Stratum Corneum of Winter Xeroxis Skin *Versus* only Peripheral in Normal Skin, Simon M, Bernard D, Minondo A-M, Camus C, Fiat F, Corcuff P, Schmidt R, Serre G, 23
Pg8 (*HCR*) gene, psoriasis susceptibility and, 750, 823
Phenotypic and Functional Outcome of Human Monocytes or Monocyte-Derived Dendritic Cells in a Dermal Equivalent, Guironnet G, Dezutter-Damboyant C, Gaudillère A, Maréchal S, Schmitt D, Péguet-Navarro J, 933
Phorbol esters, 31
Phospholipase A_2, secretion by human keratinocytes, 31
Photoaged skin
  fibrillin-1 as marker, 672
  fluorescence, 840
  tropoelastin mRNA, 915
Photodegraded Nifedipine Stimulates Uptake and Retention of Iron in Human Epidermal Keratinocytes, Gruen AB, Zhou J, Morton KA, Milstone LM, 774
Photopheresis, Th1/Th2 response and, 459
Photoproducts, chronic UVB exposure and, 209
Phototherapy, DNA photodamage induced by, 194
Pigmentation, *see* Skin pigmentation
Pityriasis versicolor, 769
Plakin family proteins, in paraneoplastic pemphigus, 556
Plasmid DNA
  for cutaneous gene transfer, 131
  safety and pharmacokinetics, 979
Plasminogen activator system, retinoic acid-mediated upregulation, 778
Platelet endothelial cell adhesion molecule-1 (PECAM-1), in adherens junctions, 110
Platelet Endothelial Cell Adhesion Molecule-1 and Vascular Endothelial Cadherin Cooperatively Regulate Fibroblast Growth Factor-Induced Modulations of Adherens Junction Functions, Halama T, Gröger M, Pillinger M, Staffler G, Prager E, Stockinger H, Holnthoner W, Lechleitner S, Wolff K, Petzelbauer P, 110
Polyamines, hairless phenotype and, 801
Poly-glutamic acid-tyrosine (poly-Glu-Tyr), 880
Polymerase chain reaction, LightCycler-based, 926
Polymorphism of the Androgen Receptor Gene is Associated with Male Pattern Baldness, Ellis JA, Stebbing M, Harrap SB, 452
Porphyria, variegate, 610, 630, 821
The Portrait and Paper of a Forgotten Hero – Luca Stulli (1772–1828) and the *Mal de Meleda* of Yesteryear: A 175-Year Anniversary, Fatovic-Ferencic, S, Holubar K, 198
Possible Regulation of Telomerase Activity by Transcription and Alternative Splicing of Telomerase Reverse Transcriptase in Human Melanoma, Villa R, Porta CD, Folini M, Daidone MG, Zaffaroni N, 867
Postmenopausal women, topical vitamin C, 853
PR-39, 230
Preferential Binding of *Staphylococcus aureus* to Skin Sites of Th2-Mediated Inflammation in a Murine Model, Cho S-H, Strickland I, Tomkinson A, Fehringer AP, Gelfand EW, Leung DYM, 658
Preservation of the Delayed-Type Hypersensitivity Response to Alloantigen by Xyloglucans or Oligogalacturonide does not Correlate with the Capacity to Reject Ultraviolet-Induced Skin Tumors in Mice, Strickland FM, Sun Y, Darvill A, Edward S, Pauly M, Albersheim P, 62
Procollagen I, in photoaged skin, 672
Prosaposin, in psoriatic skin, 394
Protease-activated receptor 2 (PAR-2), inhibitors, 587
Proteolysis, extracellular, 353
Protoporphyrinogen oxidase (PPO) mutations, 610, 630, 821
Psoralen plus ultraviolet A therapy (PUVA)
  methoxsalen dose and UVA-induced erythema, 813
  plus extracorporeal photochemotherapy (photopheresis), 459
  UV-induced DNA damage, 281
Psoriasis
  angiopoietin and Tie2 expression, 713
  HCR gene and susceptibility, 750, 823
  25-hydroxyvitamin D-1α-hydroxylase gene transfer and, 910
  IL-10 promoter polymorphism, 975
  IL-10 therapy, 319, 721
  keratinocyte CDw60 expression, 305
  macrophage migration inhibitory factor (MIF), 989
  methoxsalen dose and UVA-induced erythema, 813
  mode of fumarate action, 203
  prosaposin levels, 394

PSORS4 susceptibility region, 728
staphylococcal enterotoxin A mutant, 596
vasoactive intestinal peptide and, 743
PTCH mutations
coincident *BRCA1* mutations, 472
in squamous cell carcinoma, 614
PTCH Mutations in Squamous Cell Carcinoma of the Skin, Ping XL, Ratner D, Zhang H, Wu XL, Zhang MJ, Chen FF, Silvers DN, Peacocke M, Tsou HC, 614
Putrescine, in hairless transgenic mice, 801
PUVA, *see* Psoralen plus ultraviolet A therapy

R

Rab3a, in melanosome movement, 296
Rab3a and SNARE Proteins: Potential Regulators of Melanosome Movement, Scott G, Zhao Q, 296
Rab11, in Langerhans cells, 401
Rat, lysyl hydroxylase 1 gene transfer, 602
Redness, skin fluorescence and, 536
5α-Reductase, 57, 793
Reflectance confocal microscopy, *in vivo*, 846
RelA, dimethylfumarate and, 124
Relation of Skin Polyamines to the Hairless Phenotype in Transgenic Mice Overexpressing Spermidine/Spermine N^1-Acetyltransferase, Pietilä M, Parkkinen JJ, Alhonen L, Jänne J, 801
Response of Psoriasis to Interleukin-10 is Associated with a Suppression of Cutaneous Type 1 Inflammation, Downregulation of the Epidermal Interleukin-8/CXCR2 Pathway and Normalization of Keratinocyte Maturation, Reich K, Garbe C, Blaschke V, Maurer C, Middel P, Westphal G, Lippert U, Neumann C, 319
Retinoic acid
fibrillin-1 expression and, 672
plasminogen activator system upregulation, 778
Retinoic Acid Upregulates the Plasminogen Activator System in Human Epidermal Keratinocytes, Braungart E, Magdolen V, Degitz K, 778
RHAMM/IHABP, in melanoma, 93
Ribonucleotide reductase protein kinase, 286
The Role of CTLA-4 in Murine Contact Hypersensitivity, Nuriya S, Enomoto S, Azuma M, 764
The Role of the Epidermal Endothelin Cascade in the Hyperpigmentation Mechanism of Lentigo Senilis, Kadono S, Manaka I, Kawashima M, Kobayashi T, Imokawa G, 571

S

S100 proteins, in hair follicle regeneration, 956
Safety and Pharmacokinetics of Naked Plasmid DNA in the Skin: Studies on Dissemination and Ectopic Expression, Hengge UR, Dexling B, Mirmohammadsadegh, 979
Salicylic acid, transdermal delivery, 40
SC5 receptor, in cutaneous T cell lymphoma, 731
Scars, mast cell growth and chemotactic factors, 387
SCC12 cells, ganglioside-modulated EGF-R binding, 69
SCC25 cells, TGF-β1 signaling, 266
SCF, *see* Stem cell factor
SCID-hu xenogeneic transplantation model, 596
Scleroderma
endothelin-1 and, 417
model, mast cell chymase, 118
role of IL-4Rα and TGF-β, 136
Sebaceous carcinoma, 246, 463
Sebaceous gland, apoE expression, 77
Sebocytes, in androgen homeostasis, 793
Sebocytes are the Key Regulators of Androgen Homeostasis in Human Skin, Fritsch M, Orfanos CE, Zouboulis CC, 793
Seborrheic dermatitis, 769
Seborrheic keratosis, clonality, 506
"Second Hit" in Sebaceous Tumors from Muir–Torre Patients with Germline Mutations in *MSH2*: Allele Loss is Not the Preferred Mode of Inactivation, Kruse R, Rütten A, Hosseiny-Malayeri HR, Bisceglia M, Friedl W, Propping P, Ruzicka T, Mangold E, 463
Selective Femtosecond Pulse-Excitation of Melanin Fluorescence in Tissue, *Letter*, Hoffmann K, Stücker M, Altmeyer P, Teuchner K, Leupold D, 629
Selective Pick-up of Increased Iron by Deferoxamine-Coupled Cellulose Abrogates the Iron-Driven Induction of Matrix-Degrading Metalloproteinase 1 and Lipid Peroxidation in Human Dermal Fibroblasts *In Vitro*: A New Dressing Concept, Wenk J, Foitzik A, Achterberg V, Sabiwalsky A, Dissemond J, Meewes C, Reitz A, Brenneisen P, Wlaschek M, Meyer-Ingold W, Scharffetter-Kochanek K, 833
Sensory nerves, neuropeptides and hair growth, 236
Serial Analysis of Gene Expression in Differentiated Cultures of Human Epidermal Keratinocytes, Jansen JHJ, van Ruissen F, de Jongh G, Zeeuwen PLJM, Schalkwijk J, 12
Serial analysis of gene expression (SAGE), keratinocytes, 12
Sézary syndrome
immunophenotype of chromosomal clones, 188
interferon inhibiting cytokine factor, 874
SC5+ lymphocytes, 731
T cells, adhesion molecule expression, 466
Shear stress, Sézary cells, 466
Sheep, type I keratin intermediate filament, 157
A Short-Term Screening Protocol, Using Fibrillin-1 as a Reporter Molecule, for Photoaging Repair Agents, Watson REB, Craven NM, Kang S, Jones CJP, Kielty CM, Griffiths CEM, 672
Sialic acids, 9-*O*-acetylated, in basal cell carcinoma, 254
Skin cancer
melanocortin-1 receptor genotype risk, 224
in transplant recipients, 246
urokinase-type plasminogen activator, 353
UV phototherapy lamps and sunlamps and, 194
see also Basal cell carcinoma; Melanoma; Skin tumors; Squamous cell carcinoma
Skin equivalents
intrinsic antibiotic mechanism, 471
see also Cultured skin substitutes; Dermal equivalent; Organotypic cultures
Skin explant cultures, Langerhans cell migration, 641
Skin grafts, complement C1R precursor, 374
Skin infections, topical tacrolimus and, 480
Skin lightening, PAR-2 inhibitors, 587
Skin pigmentation
melanocortin-1 receptor genotype risk, 224
skin fluorescence and, 536
UVB-induced, role of SCF/c-kit, 578
see also Hyperpigmentation
Skin-Specific Expression of ank-3$_{US}$, a Novel Ankyrin-3 Splice Variant, Peters B, Kaiser HW, Magin TM, 216
Skin tumors
near-infrared spectroscopy, 175
rejection of UV-induced, in mice, 62
skin polyamines and, 801
stromal regulation of MMP-1 expression, 85
see also Skin cancer
SMAD7, regulation of TGF-β signaling, 266
SNARE proteins, in melanosome movement, 296
Sodium butyrate, calmodulin-like skin protein and, 905
Sodium lauryl sulfate, fibrillin-1 expression and, 672
Solar elastosis, 915
Soybean extracts, depigmenting activity, 587
Soybean trypsin inhibitor (STI), depigmenting activity, 587
Sp1 transcription factor, in fibrosis, 755
Spectroscopy, *in vivo*, 380, 434, 531, 840
A Spectrum of Novel Mutations in the Protoporphyrinogen Oxidase Gene in 13 Families with Variegate Porphyria, *Letter*, Frank J, Jugert FK, Merk HF, Kalka K, Goerz G, Anderson K, Bickers DR, Poh-Fitzpatrick MB, Christiano AM, 821
Spermidine/spermine N^1-acetyltransferase, transgenic mice, 801
Squamous cell carcinoma
melanocortin-1 receptor genotype and, 224
PTCH mutations, 614
urokinase-type plasminogen activator receptor mRNA, 353
Staphylococcal Colonization in Atopic Dermatitis Treatment with Topical Tacrolimus (FK5O6), *Letter*, Pournaras CC, Lübbe J, Saurat J-H, 480
Staphylococcal enterotoxin A mutant (SEA$_{F47A/D227A}$), 596
Staphylococcal infections, topical tacrolimus and, 480
Staphylococcus aureus, binding to skin, 658
STATs, in psoriatic keratinocytes, 305

Stem cell factor (SCF)
in human scars, 387
in melanocyte differentiation, 920
in UVB-induced pigmentation, 578
Steroid sulfatase (STS) gene, deletions in X-linked ichthyosis, 456
Stratum corneum
calmodulin-like skin protein, 905
confocal Raman spectroscopy, 434
in vivo spectroscopy, 380
microconduit microfabrication, 40
reflectance confocal microscopy, 846
of xerosis skin, corneodesmosomes in, 23
A Strikingly Constant Ratio Exists Between Langerhans Cells and Other Epidermal Cells in Human Skin. A Stereologic Study Using the Optical Disector Method and the Confocal Laser Scanning Microscope, Bauer J, Bahmer FA, Wörl J, Neuhuber W, Schuler G, Fartasch M, 313
Stroma, regulation of MMP-1 expression, 85
Stulli, Luca, 198
Substance P, hair growth and, 236
Sunlamps, DNA photodamage induced by, 194
Superantigens, mutated bacterial, in psoriasis, 596
Suppression of Keratinocyte Growth and Differentiation by Transforming Growth Factor βI Involves Multiple Signaling Pathways, Dahler AL, Cavanagh LL, Saunders NA, 266
Sweat glands, cystatin M/E, 693
Systemic sclerosis, *see* Scleroderma

T

Tacrolimus, topical, in atopic dermatitis, 480
T-cell receptors (TCR)
δ repertoire in human skin, 275
γ gene rearrangements in CTCL, 926
T cells
CD1a-mediated response, 401
clonal
adhesion molecules in Sézary syndrome, 466
immunophenotype in Sézary syndrome, 188
in mycosis fungoides, 484
CTLA-4 function, 764
cutaneous type 1, IL-10 therapy and, 319
γδ, 275, 880
IL-13 production in atopic dermatitis, 3
melanocyte-specific $CD8^+$, in vitiligo, 891
role of fibroblasts in proliferation, 102
SC5+ expression in Sézary syndrome, 731
The TCR δ Repertoire in Normal Human Skin is Restricted and Distinct from the TCR δ Repertoire in the Peripheral Blood, Holtmeier W, Pfinder M, Hennemann A, Zollner TM, Kaufmann R, Caspary WF, 275
Telomerase, regulatory mechanisms in melanoma, 867
Telomerase reverse transcriptase, alternative mRNA splicing, 867
Testosterone
epidermal permeability barrier perturbation, 443
in male-pattern baldness, 57
Testosterone Perturbs Epidermal Permeability Barrier Homeostasis, Kao JS, Garg A, Mao-Qiang M, Crumrine D, Ghadially R, Feingold KR, Elias PM, 443
12-O-Tetradecanoylphorbol-13-acetate (TPA), 31
Tetradecylthioacetic acid, PPAR activation, 702
Tetrahydrobiopterin ($6BH_4$), recycling in vitiligo, 167
Th1:Th2 cytokine ratio
IL-10 therapy of psoriasis and, 319, 721
keratinocyte CDw60 expression and, 305
photopheresis-induced shift, 459
Th2 inflammatory response, *Staphylococcus aureus* binding to skin, 658
Tie2, in psoriasis, 713
Tight skin (TSK) mice, IL-4Rα and TGF-β gene mutations, 136
Tissue inhibitors of matrix metalloproteinase 1 (TIMP-1), topical vitamin C and, 853
Topically Applied Vitamin C Enhances the mRNA Level of Collagens I and III, Their Processing Enzymes and Tissue Inhibitor of Matrix Metalloproteinase 1 in the Human Dermis, Nusgens BV, Humbert P, Rougier A, Colige AC, Haftek M, Lambert CA, Richard A, Creidi P, Lapière CM, 853
Topographic Variations in Normal Skin, as Viewed by *In Vivo* Reflectance Confocal Microscopy, Huzaira M, Rius F, Rajadhyaksha M, Anderson RR, González S, 846
Towards Non-Invasive Screening of Skin Lesions by Near-Infrared Spectroscopy, McIntosh LM, Summers R, Jackson M, Mantsch HH, Mansfield JR, Howlett M, Crowson AN, Toole JWP, 175
Transdermal drug delivery, 40
Transforming growth factor-β (TGF-β)
in human scars, 387
hypoxic responses in elderly and, 50
in keratinocyte activation cycle, 633
mutations in tight skin mice, 136
signaling in keratinocytes, 266
Transgenic mice
apoE expression, 77
desmocollin-1 isoform 1 misexpression, 144
spermidine/spermine N^1-acetyltransferase, 801
Transgenic Misexpression of the Differentiation-Specific Desmocollin Isoform 1 in Basal Keratinocytes, Henkler F, Strom M, Mathers K, Cordingley H, Sullivan K, King I, 144
Transglutaminase, target in skin, 693
Transglutaminase 1 Gene Mutations in Italian Patients with Autosomal Recessive Lamellar Ichthyosis, Esposito G, Auricchio L, Rescigno G, Paparo F, Rinaldi M, Salvatore F, 809
Transglutaminase-1 (TGM1)
mutations, in lamellar ichthyosis, 809, 993
PPAR-mediated expression, 702
Transport proteins, multidrug resistance-associated, 541
Treatment of Peripheral Blood Mononuclear Cells with 8-Methoxypsoralen plus Ultraviolet A Radiation Induces a Shift in Cytokine Expression from a Th1 to a Th2, Klosner G, Trautinger F, Knobler R, Neuner P, 459
Tropoelastin, in photoaged skin, 915
Tryptophan, in photoaged skin, 840
Tumor-associated antigens, sialic acids and gangliosides, 254
Tumor necrosis factor-α (TNF-α)
in fibroblast-mediated T-cell proliferation, 102
IL-10-induced downregulation in psoriasis, 319
Langerhans cell migration and, 641
Malassezia yeasts and, 769
stimulation of keratinocytes, 12
Tumor progression, C4.4A expression and, 344

U

Ultraviolet A (UVA)
exposure, skin fluorescence and, 840
induced DNA damage, 281
psoralen plus, *see* Psoralen plus ultraviolet A therapy
Ultraviolet B (UVB)
chronic exposure, DNA repair effects, 209
-induced hyperpigmentation, in lentigo senilis, 571
-induced keratinocyte apoptosis, 860
-induced pigmentation, role of SCF/c-kit, 578
-induced skin tumors in mice, 62
Ultraviolet irradiation
keratinocyte gene expression and, 983
precursor melanocytes, 920
tropoelastin expression and, 915
Ultraviolet Radiation Increases Tropoelastin mRNA Expression in the Epidermis of Human Skin *In Vivo*, Seo JY, Lee SH, Youn CS, Choi HR, Rhie G-e, Cho KH, Kim KH, Park KC, Eun HC, Chung JH, 915
A Unique Type I Keratin Intermediate Filament Gene Family is Abundantly Expressed in the Inner Root Sheaths of Sheep and Human Hair Follicles, Bawden CS, McLaughlan C, Nesci A, Rogers G, 157
United States, epidermolysis bullosa carrier frequencies, 483
Upregulation of C4.4A Expression During Progression of Melanoma, Seiter S, Stassar M, Rappl G, Reinhold U, Tilgen W, Zöller M, 344
Urokinase-type plasminogen activator, 353, 778
receptor, 344, 353

V

Variations in the HCR (Pg8) Gene are Unlikely to be Causal for Familial Psoriasis, *Letter*, Chia NVC, Stuart P, Nair RP, Henseler T, Jenisch S, Lim HW, Christophers E, Voorhees JJ, Elder JT, 823

Variegate porphyria, 610, 630, 821
Vascular endothelial cadherin, in adherens junctions, 110
Vascular endothelial growth factor (VEGF)
  angiopoietin/Tie2 expression and, 713
  in endothelial cells, 525
Vasoactive intestinal peptide
  hair growth and, 236
  receptors, in keratinocytes, 743
Vasoactive Intestinal Peptide Regulates its Receptor Expression and Functions of Human Keratinocytes via Type I Vasoactive Intestinal Peptide Receptors, Kakurai M, Fujita N, Murata S, Furukawa Y, Demitsu T, Nakagawa H, 743
Vitamin C, topical therapy, 853
Vitamin D, in psoriasis, 910
Vitamin D_3 receptor (VDR), 785
Vitiligo
  HLA A2-restricted, melanocyte-specific $CD8^+$ T cells, 891
  tetrahydrobiopterin recycling, 167

W

Winter xerosis, corneodesmosomes in stratum corneum, 23
Wnt signaling, 940
Wound healing
  apoptosis of fibroblasts, 686
  deferoxamine-coupled cellulose dressing and, 833
  in elderly, 50
  insulin requirements, 650
  intrinsic antibiotic mechanism, 471
  local gene transfer and, 131
  mast cell growth and chemotactic factors and, 118
  retinoic acid actions, 778
  spectroscopic scores, 531
  urokinase-type plasminogen activator, 353

X

X-chromosome inactivation mosaicism, in seborrheic keratosis, 506
Xerosis, corneodesmosomes in stratum corneum, 23
Xyloglucans, in rejection of UV-induced skin tumors, 62

Y

Yucatan swine, PAR-2 inhibitors, 587